





LABORATORY CATALOGUE

GlobalRoll®

HANGZHOU ROLLMED CO.,LTD



HANGZHOU ROLLMED CO.,LTD.

room 913,yuanmao mansion.no.5 wen'er west road,
xihu district,hangzhou,P.R of China.P.C. 310012

Http://www.rollmed.com

Tel:+86-571-8885 3530, 8886 3507, 8886 3576

Fax:+86-571-8886 4355

Email:sales@rollmed.com.cn sales@rollmed.com








2019-2020

Copyright© 2019 ROLLMED corporation,All right revised

WWW.ROLLMED.COM

CONTENTS












TIP	1
RACK&TIP WITH RACKTIP	2
TEST TUBE	3
CENTRIFUGE TUBE	4
CENTRIFUGE TUBE RACK	5
CENTRIFUGE TUBE RACK & TEST TUBE RACK	6
CRYOVIAL TUBE & RACK	7
MICROPIPETTOR	8
SAMPLE CUP & CUVETTE	9-11
URINE&STOOL CONTAINER	12
CONTAINER&BOTTLES&FLASKS	13
MEASURING CYLINDER&CUP& BEAKER&FLASKS	14
CUP&FUNNELS	15
EMBEDDING CASSETTE&LOOP	16
PLATE&PETRI DISH&SCRAPER	17
PASTEUR PIPETTE	18
MICROSLIDES&COVER GLASS	19-21
SLIDES BOX	22
SLIDES STAINING JAR	23
SWAB&CERVICAL BRUSH	24-25
PTFE STIRRING BAR	26
OTHERS	27
BLOOD LANCET & TIMER & SHARP CONTAINER	28
VACUUM BLOOD TUBE&NON VACUUM BLOOD TUBE	29-31
NON VACUUM BLOOD TUBE&DESICCATOR	31-32
ESR TUBE&ESR TUBE STAND	33
IVD	34-35
REAGENT STRIPS FOR URINALYSIS	36
GLASSWARE	37-39
CENTRIFUGE	40-41
MICROSCOPE	42
INSTRUMENTS	43-52






Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD011	Universal Tip Graduated	1000ul	15000	56x42x42
NLD012	Universal Tip	1000ul	15000	56x42x42
NLD013	Universal Tip	200ul	50000	56x42x42
NLD014	Universal Tip	300ul	30000	56x42x34
NLD015	Universal Tip	10ul	50000	56x42x30
NLD016	Gilson Tip, Elongated	200ul	20000	49x37x30
NLD017	Gilson Tip	1250ul	10000	56x42x42
NLD018	Gilson Tip	1000ul	15000	56x42x42
NLD019	Gilson Tip	200ul	50000	56x42x42
NLD020	Gilson Tip, white	200ul	50000	56x42x42
NLD021	Gilson Tip Graduated	200ul	50000	56x42x42
NLD022	Gilson Tip	10ul	140000	56x42x30
NLD023	Finland Tip	1250ul	10000	56x42x42
NLD024	Finland Tip	1000ul	15000	56x42x42
NLD025	Finland Tip	200ul	50000	56x42x42
NLD026	Finland Tip Graduated	200ul	50000	56x42x42
NLD027	Finland Tip	10ul	140000	56x42x42
NLD028	Finland Tip	5ml	4800	56x42x42
NLD029	Universal Tip	5ml	4000	56x42x42
NLD030	Gilson Tip	5ml	7500	56x42x42
NLD031	Filter Tip	1000ul	15000	56x42x42
NLD032	Filter Tip	200ul	50000	56x42x42
NLD033	Filter Tip	10ul	140000	56x42x42
NLD034	Tip(DNase, RNase free)			56x42x42
NLD035	Gilson Tip Graduated	1000ul	15000	56x42x42
NLD036	Tip for Dalong	10ml		56x42x42
NLD037	Tip for Rongtai	10ml		56x42x42
NLD038	Gilson Tips	10ml		56x42x42
NLD039	Tip, match with Roche immunoassay Analyzer			
NLD040	Sample Cup, match with Roche Immunoassay Analyzer			
NLD041	Tip and Samples Cup, match with Roche E170, E601 Biochemical Analyzer			

REFERENCE NUMBER : $\frac{NLDXXX}{A} \frac{XX}{B} \frac{X}{C}$

A	Catalogue	NLD011-NLD038
B	Volume	10:10ul/200:200ul/300:300ul/1000:1000ul/1250:1250ul/5000:5ml
C	Sterile	S: Sterile/N: Non-sterile



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD051	Universal tip with rack	10ul/96well	170	56x42x42
NLD052	Universal tip with rack	200ul/96well	100	56x42x42
NLD053	Universal tip with rack	1000ul/60well	100	56x42x42
NLD054	Universal tip with rack	1000ul/100well	70	56x42x42
NLD055	Filter tip with rack	1000ul/100well	50	55x28x49
NLD055-1	Filter tip with rack	1000ul/100well	50	55x28x49
NLD056	Filter tip with rack	1000ul/60well	100	52x48x42
NLD056-1	Filter tip with rack	1000ul/60well	100	52x48x42
NLD057	Filter tip with rack	200ul/96well	100	52x48x42
NLD057-1	Filter tip with rack	200ul/96well	100	52x48x42
NLD058	Filter tip with rack	10ul/96well	100	51x27x48
NLD058-1	Filter tip with rack	10ul/96well	100	51x27x48
NLD059	Tip Rack(Fixed)	200ul/96wells	100	56x42x42
NLD060	Tip Rack(Fixed)	10ul/96wells	170	56x42x42
NLD061	Tip Rack(Fixed)	10ul/96wells	170	56x42x42
NLD062	Tip Rack	1000ul/60wells	100	56x42x42
NLD063	Tip Rack	1000ul/100wells	70	56x42x42
NLD064	Tip with Rack	NLD064-1:10ul/96wells NLD064-2:200ul/96wells NLD064-3:1000ul/100wells		
NLD065	Tip Rack(Detachable)	10ul/96wells		
NLD066	Tip Rack(Detachable)	200ul/96wells		
NLD067	Tip Rack(Detachable)	A:1000ul/60wells B:1000ul/96wells C:1000ul/100wells		









Code No.	Size	Materials	Unit	Quantity/ carton	Carton Dimension (mm)	G.W.
NLD130-A1	Small	BRISTLE	Pcs	2000	43x43x27	8
NLD130-A2	Medium	BRISTLE	Pcs	1000		9
NLD130-A3	Large	BRISTLE	Pcs	1000		10
NLD130-B1	Small	NYLON	Pcs	2000		8
NLD130-B2	Medium	NYLON	Pcs	1000		9
NLD130-B3	Large	NYLON	Pcs	1000		10

Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD100	Test Tube, PS	12*75	5000	56x42x34
NLD101	Test Tube, PS	13*75	5000	56x42x42
NLD102	Test Tube, PP	12*75	5000	56x42x34
NLD103	Test Tube, PP	13*75	5000	56x42x42
NLD104	Test Tube, PS	12*60	5000	50x30x38
NLD105	Urine Test Tube, PS	16*102	2400	56x42x42
NLD106	Urine Test Tube, PP	16*102	2400	56x42x42
NLD107	Test Tube, PS	16*100	2400	56x42x42
NLD108	Test Tube, PS	15*100	2500	46x32x45
NLD109	Test Tube, PS	13*100	3000	56x35x30
NLD110	Test Tube, PS	12*100	3000	48x30x38
NLD111	Test Tube, PP	15ml	2000	56x42x42
NLD112	Test Tube, PS Graduated	15ml	2000	56x42x42
NLD113	Flange cap	Φ12	25000	56x42x30
NLD114	Flange cap	Φ13	25000	56x42x34
NLD115	Flange cap	Φ16	16000	56x42x42
NLD116	Test Tubecap	Φ12	20000	56x42x42
NLD117	Test Tubecap	Φ16	16000	56x42x42
NLD118	Urinary sediment tube (flat-mouth)	12ml	2400	52x33x42
NLD119	Urinary sediment tube (wide-mouth)	12ml	2000	48x33x40
NLD120	Urinary sediment tube (screw cap)	12ml	2000	48x33x51
NLD121	Urinary sediment tube (conical-bottom with screw cap)	12ml	2000	48x33x51
NLD122	Urinary sediment tube (conical-bottom with cover)	12ml	2000	48x33x51
NLD122	Urinary sediment tube (conical-bottom with cover)	12ml	2000	48x33x51
NLD124	Test Tube	12*75, PE package, load in line	5000	45x40x30
NLD125	Test Tube	12*75, with box	5000	33x41x41
NLD126	Test Tube	12*75 PE package	5000	56x42x34
NLD130	Test Tube cleaning brush	A:small/B:medium/C:large		










REFERENCE NUMBER: NLDXXX XX XX XX XX XX

A	Catalogue	NLD100-NLD130
B	Volume	1275:12*75/1375:13*75/1260:12*60/16102:16*102/16100:16*100/15100:15*100/13100:13*100/12100:12*100/15:15ml
C	Sterile	S: Sterile/N: Non-sterile
D	Bottom	0: Not available/1: Conical bottom/2: Round bottom
E	Cap	0: Not available/1: Pressure cap/2: Screw cap
F	Material	01: PP/02: PS/03: PE













Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD139	Centrifuge Tube	0.2ml	70000	56x42x42
NLD140	Centrifuge Tube	0.5ml	25000	56x42x42
NLD141-1	Centrifuge Tube with buckle	1.5ml	12000	56x42x42
NLD141-2	Centrifuge Tube without buckle	1.5ml	12000	56x42x42
NLD142	Centrifuge Tube	2.0ml	10000	56x42x42
NLD143	Centrifuge Tube	5ml	6000	56x42x42
NLD144	Centrifuge Tube	7ml	4000	56x42x42
NLD145	Centrifuge Tube	10ml	3200	56x42x42
NLD146	Centrifuge Tube	10ml, Round bottom	2200	56x42x42
NLD147	Centrifuge Tube	10ml, Conical bottom	2200	56x42x42
NLD148	Centrifuge Tube	15ml, Conical bottom	2000	56x42x42
NLD149	Centrifuge Tube	15ml, Round bottom	2000	56x42x42
NLD150	Centrifuge Tube	50ml, Self-standing	700	56x42x42
NLD151	Centrifuge Tube	50ml, Conical bottom	800	56x42x42
NLD152	Centrifuge Tube	50ml	800	56x42x42
NLD153	Centrifuge Tube	50ml	1000	56x42x42
NLD154	Centrifuge Tube	15ml, load in pack	500	56x29x29
NLD155	Centrifuge Tube	50ml, load in pack	500	52x44x33
NLD156	Leakproof centrifuge tube	15ml	1500	49x49x35.5
NLD157	Leakproof centrifuge tube	50ml	600	49x49x35.5











REFERENCE NUMBER : NLDXXX XX X X X XX		
A	Catalogue	NLD139/NLD140/NLD141/NLD142/NLD143/NLD144/NLD145/NLD146/NLD147/NLD148/NLD149/NLD150/NLD151/NLD152/NLD153/NLD154/NLD155/NLD156/NLD157
B	Volume	0D5:0.5ml/1D5:1.5ml/2D0:2.0ml/5:5ml/7:7ml/10:10ml/15:15ml/50:50ml
C	Sterile	S: Sterile/N: Non-sterile
D	Bottom	0: Not available/1: Conical bottom/2: Round bottom
E	Cap	0: Not available/1: Pressure cap/2: Screw cap
F	Material	01: PP/02: PS/03: PE



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD170	PCR tube, 8 Strips	0.2ml, flat cap	6000	56x42x42
NLD171	PCR tube, 8 Strips	0.2ml, round cap	6000	56x42x42
NLD171	PCR tube, 12 Strips	0.2ml, flat cap	4000	56x42x42
NLD171	PCR tube, 12 Strips	0.2ml, round cap	4000	56x42x42
NLD185-1	Rack for Centrifuge Tube	both side, 0.5/1.5 or 2ml/24wells	100	42x42x30
NLD185-2	Rack for Centrifuge Tube	both side, 0.5/1.5 or 2ml/32wells	100	42x42x30
NLD172	Rack for Centrifuge Tube	0.5/1.5ml or 2ml 60wells	200	56x42x34
NLD173	Rack for Centrifuge Tube	0.5/1.5ml or 2ml 96 wells	100	56x42x30
NLD174	Rack for Centrifuge Tube	1. 5ml/50wells	84	56x42x42
NLD175	Rack for Centrifuge Tube	1. 5ml/100wells	60	56x42x42
NLD176	Rack for Centrifuge Tube	0.2ml	84	56x42x42
NLD177	Rack for Centrifuge Tube	0.2ml/96Wells	250	56x42x42
NLD178	Rack for Centrifuge Tube	0.5ml/72 Wells	84	56x42x42
NLD179	Rack for Centrifuge Tube With Connecting Cover	0.5ml/72Wells	84	56x42x42
NLD180	Rack for Centrifuge Tube	1.5ml/72Wells	84	56x42x42
NLD181	Rack for Centrifuge Tube With Connecting Cover	1.5ml/ 72Wells	84	56x42x42
NLD182	Rack for Centrifuge Tube With Connecting Cover 5 Racks/pack	1.5ml/2ml/72Wells	50	55x37x30
NLD183	Rack for Centrifuge Tube With Connecting Cover 5 Racks/pack	0.5ml/98Wells	50	55x37x30
NLD184	Rack for Centrifuge Tube With Connecting Cover 5 Racks/pack	0.2ml/153Wells	50	55x37x30
NLD185	Slot for reagent		1000	53x33x63
NLD186	Slot for reagent		800	53x33x63
NLD187	Slot for reagent			



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD190	Rack For Test Tube	Φ13/50 wells	50	52x28x25
	Rack For Test Tube	Φ15/50 wells	50	52x28x25
	Rack For Test Tube	Φ18/40 wells	50	52x28x25
NLD191	Rack For Test Tube	Φ16/50 wells	80	54x28x53
	Rack For Test Tube	Φ18/50 wells	80	54x28x53
NLD192	Rack For Centrifuge Tube	0.5ml/1.5ml	60	48x24x45
NLD193	Rack For Test Tube	A: Φ13/50wells B: Φ16/50wells	50	56x27x45
NLD194	Rack For Centrifuge Tube	15ml/18wells 50ml/10wells	100	56x42x30
NLD195	Rack For Test Tube	Φ13/15/18	100	56x42x34
NLD196	Stainless steel Rack For Test Tube	A: Φ13/40wells B: Φ15/40wells C: Φ18/40wells	50	56x42x42
NLD197	4 surfaces rack		60	56x42x42
NLD198	Multi-function tube rack	A:blue B:red C:green D:orange	40	56x42x42
NLD199	Organic trapezium pipette rack	5*10 (50 wells)	50	56x42x42
NLD200	Organic round pipette rack		50	56x42x42
NLD201	Seriological pipettes rack		100	56x42x30
NLD202	Rack for centrifuge tube	15ml/30wells 50ml/20wells	100	56x42x30
NLD203	Rack for pipettes			
NLD204	Rack for test tube			



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD240	Cryovial Tube	10ml	2000	56x42x42
NLD242	Cryovial Tube	5ml	3200	56x42x42
NLD243	Cryovial Tube	5ml	3200	56x42x42
NLD244	Cryovial Tube	1.8ml	10000	56x42x42
NLD245	Cryovial Tube	0.5ml	12000	56x42x42
NLD246	Cryovial Tube	1.5ml	12000	56x42x42
NLD247	Cryovial Tube	1.5ml, Conical bottom	10000	56x42x42
NLD248	Cryovial Tube	1.5ml, Connecting screw cap	10000	56x42x42
NLD249	Cryovial Tube	0.5ml	20000	56x42x42
NLD250	Rack for Cryovial Tube	1.8ml/50wells	150	53x33x63
NLD251	Rack for Cryovial Tube	1.8ml/81wells	100	53x33x63
NLD252	Rack for Cryovial Tube	1.8ml/100wells	90	53x33x63
NLD253	Paper Rack For Cryovial Tube	1.8ml/81wells	100	53x33x63
NLD254	Paper Rack For Cryovial Tube	1.8ml/100wells	100	53x33x63
NLD255	Rack For Cryovial Tube	5ml/42wells	100	67x54x40
NLD256	Cryovial tube external thread	1.6ml/1.8ml/2ml/5ml		
NLD256-2	Cryovial tube internal thread	1ml/1.6ml/1.8ml/2ml/4ml		
NLD257-1	Rack for Cryovial Tube, with hinged-lid	25well	80	53x33x63
NLD257-2	Rack for Cryovial Tube, with hinged-lid	81well	80	53x33x63
NLD257-3	Rack for Cryovial Tube, with hinged-lid	100well	80	53x33x63

REFERENCE NUMBER : NLDXXX XX X X XX

A	Catalogue	NLD240-NLD257
B	Volume	0D5:0.5ml/1D5:1.5ml/1D8:1.8ml/5:5ml/10:10ml
C	Sterile	S: Sterile/N: Non-sterile
D	Bottom	0: Self standing/1: Conical bottom/2: Round bottom/3: shape bottom
E	Cap	0: Not available/1: Pressure cap/2: Screw cap
F	Material	01: PP/02: PS/03: PE



NLD042 (Fixed Volume) Pipettors

Cat.No.	Volume	Test Volume	Inaccuracy(±)	Imprecision(±)
722001	5ul	5ul	1.3%	1.2%
722004	10ul	10ul	0.8%	0.8%
722010	20ul	20ul	0.6%	0.5%
722015	25ul	25ul	0.5%	0.3%
722020	50ul	50ul	0.5%	0.3%
722025	100ul	100ul	0.5%	0.3%
722030	200ul	200ul	0.4%	0.2%
722035	250ul	250ul	0.4%	0.2%
722040	500ul	500ul	0.3%	0.2%
722045	1000ul	1000ul	0.3%	0.2%
722050	2000ul	2000ul	0.3%	0.15%
722055	5000ul	5000ul	0.3%	0.15%

NLD043 (Adjustable Volume) Pipettors

Cat.No.	Volume Range	Increment	Test Volume	Inaccuracy (±)	Imprecision (±)
720005	0.1-2.5ul	0.05ul	2.5ul	2.50%	2.00%
			1.25ul	3.00%	3.00%
			0.25ul	12.00%	6.00%
720000	0.5-10ul	0.1ul	10ul	1.00%	0.80%
			5ul	1.50%	1.50%
			1ul	2.50%	1.50%
720080	2-20ul	0.5ul	20ul	0.90%	0.40%
			10ul	1.20%	1.00%
			2ul	3.00%	2.00%
720020	5-50ul	0.5ul	50ul	0.60%	0.30%
			25ul	0.90%	0.60%
			5ul	2.00%	2.00%
720050	10-100ul	1ul	100ul	0.80%	0.15%
			50ul	1.00%	0.40%
			10ul	3.00%	1.50%
720070	20-200ul	1ul	200ul	0.60%	0.15%
			100ul	0.80%	0.30%
			20ul	3.00%	1.00%
720030	50-200ul	1ul	200ul	0.60%	0.15%
			100ul	0.80%	0.30%
			50ul	1.00%	0.40%
720060	100-1000ul	5ul	1000ul	0.60%	0.20%
			500ul	0.70%	0.25%
			100ul	2.00%	0.70%
720040	200-1000ul	5ul	1000ul	0.60%	0.20%
			500ul	0.70%	0.25%
			200ul	0.90%	0.30%
720110	1000-5000ul	50ul	5000ul	0.50%	0.15%
			2500ul	0.60%	0.30%
			1000ul	0.70%	0.30%

NLD044 Mechanical (Adjustable Volume) Multi-channel Pipettors

Cat.No.	Volume Range	Increment	Test Volume	Inaccuracy (±)	Imprecision (±)
720210	0.5-10ul	0.1ul	10ul	1.50%	1.50%
			5ul	2.50%	2.50%
			1ul	4.00%	4.00%
720220	5-50ul	0.5ul	50ul	1.00%	0.50%
			25ul	1.50%	1.00%
			5ul	3.00%	2.00%
720240	50-300ul	5ul	300ul	0.70%	0.25%
			150ul	1.00%	0.50%
			50ul	1.50%	0.80%
720310	0.5-10ul	0.1ul	10ul	1.50%	1.50%
			5ul	2.50%	2.50%
			1ul	4.00%	4.00%
720320	5-50ul	0.5ul	50ul	1.00%	0.50%
			25ul	1.50%	1.00%
			5ul	3.00%	2.00%
720340	50-300ul	5ul	300ul	0.70%	0.25%
			150ul	1.00%	0.50%
			50ul	1.50%	0.80%



NLD045 Electronic Single Channel Pipettors

Cat.No.	Volume	Increment(ul)
710521ET	0.2-10	0.1
710011ET	5-100	1
710041ET	50-1200	5
710501ET	100-5000	50

NLD046 Electronic 12 Channels Pipettors


Cat.No.	Volume	Increment(ul)
710301ET	0.2-10	0.1
710311ET	5-100	1
710321ET	50-1200	5
710811ET	100-5000	50

NLD047 Midi Plus Pipetting Aid,1-100ml









Fits graduated pipettes from 0.1 to 100 ml
Uses replaceable 0.45 μm filter

NLD049 Pipettors holder





Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD050	Finland Colored pipette	0.5-10ul	20	32x21x29.5
	Finland Colored pipette	5-50ul	20	32x21x29.5
	Finland Colored pipette	20-200ul	20	32x21x29.5
	Finland Colored pipette	100-1000ul	20	32x21x29.5
	Finland Colored pipette	1-5ml	20	32x21x29.5



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD049-2	Pipettors holder	6pcs		
NLD049-3	Pipettors holder	6pcs		
NLD080	Pipette Pump	A: 2ml Blue B: 10ml Green C: 25ml Red	1pc/box, 100 pcs/carton 1pc/box, 100 pcs/carton 1pc/box, 100 pcs/carton	










Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD280	Cups for German BE		30000	57x30x40
NLD281	Trolley for German BE 2 Types		7000	48x32x32
NLD282	Trolley for German BE 4 Types		3500	49x33x33
NLD283-1	Trolley for German BECL4 2Types		5000	56x35x30
NLD283-2	Trolley for German BECL4 1 Types		10000	56x35x30
NLD284	Trolley for German BECL4 4Types		2500	56x35x30
NLD285	Trolley for German BECL4 8Types		1250	56x35x30
NLD286	Cups for TECO Blood Clot meter		13500	56x35x30
NLD287	Cups for German TECO 2 Types		5000	38x24x34.5
NLD288-1	Cups for German TECO size:S		30000	60x26x36
NLD288-2	Cups for German TECO size:L		30000	60x26x36
NLD289	Cups for Sysmes CA530		20000	56x30x38
NLD290	Cups for Sysmes CA6000		20000	56x30x38
NLD291	Cups for Sysmes CA100		15000	48x32x37
NLD292	Cups for Spanish		8000	49x33x33
NLD293	Cups for German Labor		10000	49x33x33
NLD294	Trolley for Pacific and German TECO 4 Types		3200	49x33x33
NLD295	Test Tube for Swiss Rose Biochemical apparatus (white,blue)	Φ8x34	2400	49x33x33
NLD296	Test Tube for AULINBAS Reaction Cup	Φ13x38	3600	48x33x33
NLD297	Cups for US ALCYONCCX	Φ15x40	5000	58x35x29
NLD298	Cups for Hitachi Biochemical	Φ10x37	6000	49x33x33
NLD299	Trolley for French STAGO		2100	50.5x30.5x39.5
NLD300	Trolley for Zhongqing Shidi		2800	47.5x44x32
NLD301	Color Dilution Plate		100	49x33x33
NLD302	For Beijing Pulang		10000	62x34x35
NLD303	Swiss SEROZYME		4000	49x33x33
NLD304	Trolley for Roses Biochemical		6000	56x41x42
NLD305	Trolley for Special Protein		6000	56x41x42
NLD306	Trolley for BN100 Special Protein		4000	56x41x42
NLD307	Trolley for French Meiali Biochemical		1000	56x41x42
NLD312	Cups for Innova coagulometer		10000	
NLD313	Cups for BICO coagulometer		25000	
NLD3326	Cuvette	1.5ml	1000	40x23x38
NLD3327	Cuvette	2.5ml	1000	40x23x38
NLD3328	Cuvette	1.5ml	1000	40x23x38
NLD3329	Cuvette	4.5ml	1000	40x23x38
NLD3330	Rack for Chromatographic bottle			
NLD3331	Chromatographic bottle			
















Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD325	For Abbott AXSYM Apparatus	Dia17.5x53mm	4000	
NLD326	Sample cup for Monarch Analysis Apparatus(0.5ml)	Dia17.5x53mm	13500	
NLD327	Sample for coming 560, 550 Series,	Dia:12x20mm	20000	
NLD328	Compatible w/ Olympus/ Roche Sample Tube	Dia7x26mm	40000	
NLD329	Compatible w/ ABBOTT Sample Cup		4000	
NLD3300-1	Roche Electric TIP	200ul	22000	
NLD3300-2	Roche Electric TIP	1000ul	22000	
NLD3301-1	Cups for German SIGMA KC-40 Cruor Apparatus	size:S		
NLD3301-2	Cups for German SIGMA KC-40 Cruor Apparatus	size:L		
NLD3302	Trolley for German BE automatic		3132	

Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD308	Trolley for Bs300 Sample Cup for Hitachi 7020,7150 Biochemical apparatus		1000	49x33x33
NLD309		Φ16x38	5000	50x30x38
NLD310	Sample Cup for US Beckman CX series	Φ13x24 0.5ml	10000	50x30x35
NLD311	Sample Cup 700, for US Beckman Dubang	Φ14x25 1.5ml	10000	61x32.5x33
NLD314	Cuvette for US Corning (5holes)		2990	
NLD315	For finland konelab 20 / ermo 50 Appratus	12holes	3600	
NLD316	For Hitachi 7060/911/ 912 Apparatus w/Rack	20holes	132	
NLD317	Cuvette for Abbott biochemical tester		240	
NLD318	For Italy SABA(19 holes) biochemical tester		800	
NLD319	For Hitachi 7060/911/ 912 Apparatus cup		5000	
NLD320	For Hitachi 7020/902 Apparatus w/Rack	8holes	264	
NLD321	For Italy Alcom biochemical tester		500	
NLD322	For Beckman DX1800 Biochemical Analyzer		20000	
NLD323	For Siemens DPC IMMULITE 2000 immunoassay Analyzer		11000	
NLD324	For Abbott Architect I2000 SR Analyzer		11000	




Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD3303	For Roche Incubation Analyzer		40000	
NLD3304	Cuvette for Zhongshan Peikang		2250	
NLD3305	Cuvette for French Ou' Jialong		2400	
NLD3306	For STAGO full automatic coagulometer		6	
NLD3307	For US Beckman special protein ARRY-360		6000	
NLD3308	For Italy SABA bichemical tester		1440	
NLD3309	Trolley for Shenlong biochemical tester		1500	
NLD3310	Trolley for Lanyun, Jinrui, etc biochemical tester		1500	
NLD3311	Trolley for Beckman biochemical tester		2000	
NLD3312	Trolley for ACL TOP coagulometer		3000	
NLD3313	For US Magic 3000 biochemical tester		1200	
NLD3314	For US Magic 2000, 1800 biochemical tester		1200	
NLD3315	Cups for M10	Φ11x19	20000	
NLD3316	Cups for An Tai	Φ10x19	26000	
NLD3317	Cups for Innova	Φ24x25	10000	
NLD3318	Cups for Dotcom	Φ14x24.2	10000	
NLD3319	Cups for Kodak	Φ 14x20	16200	
NLD3320	Cups for TECO (flat bottom)	Φ 11.5x26.5	15000	
NLD3321	Cups for OLYMPUS	Φ 12x40	7000	
NLD3322	Plate for An Tai	Φ 24x25	1000	
NLD3323	Tip		1000	
NLD3324	Tip		1000	
NLD3325	Cup		1000	
NLD3336	Magnetic Steel Ball	A: OD 2.38mm 2000pcs/bottle, 100 bottles/carton B: OD 2.00mm 2000pcs/bottle, 100 bottles/carton		



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD340	Pipette filler-A	Standard size	150	50x50x21
	Pipette filler-B	Elongated size	150	50x50x21
		1ml	4000	58x58x42
		2ml	3200	58x58x42
NLD341	Disposable Serological pipettes	5ml	1800	56x55x42
		10ml	1200	56x42x42
		25ml	800	58x58x42
		50ml	600	56x55x42
NLD342	Urine Container	100ml	200	56x42x30
NLD343	Urine Container	120ml	200	56x42x30
NLD344	Urine Container	40ml	500	56x42x42
NLD344-1	Urine Container (Hand-pressed cap)	30ml	1000	
NLD344-2	Urine Container (Hand-pressed cap)	40ml	1000	
NLD345	Urine Container	60ml	500	56x42x42
NLD345-1	Urine Container	60ml	500	56x42x42
NLD346	Urine Container	30ml	500	56x42x34
NLD347	Stool Container	60ml	500	56x42x42
NLD348	Stool Container	30ml	500	56x42x34
NLD349-1	Medicine cup	30ml; 1g	5000	48x25.5x32
NLD349-2	Medicine cup	30ml; 1.4g	5000	48x25.5x32
NLD349-3	Medicine cup	30ml; 1.8g	5000	48x25.5x32
NLD350	Urine Container, with label	60ml	500	56x42x34
NLD351	Stool Container, individual package	60ml	500	56x42x34
NLD352	Urine Container, individual package	60ml	500	56x42x34
NLD353	Urine Container	60ml	1000	58x42x60
NLD354	Stool Container	60ml	1000	58x42x60
NLD355-1	Stool Container individual package	60ml	1000	58x42x60
NLD355-2	Urine Container individual package	60ml	1000	58x42x60

REFERENCE NUMBER: NLDXXX A B C D		
A	Catalogue	NLD342-NLD374
B	with label or without label	1: with label/2: without label
C	sterile or un-sterile	1: sterile/2: un-sterile
D	color	R: red/Y: yellow/B: blue/W: white


Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD356	Urine container	A: 40ml PP materials B: 40ml PS materials	1000	
NLD357	Stool container	A: 40ml PP materials B: 40ml PS materials	1000	
NLD358	Stool container	20ml	2000	
NLD359	Urine container (leakage-proof)	A: 20ml B: 40ml C: 60ml D: 90ml E: 120ml	2400 1400 1000 800 700	83x42x62 68.5x50.5x60 55.5x54.5x60 62.5x49.5x66 67.5x47x71.5
NLD360T	Urine container with Transfer device	100ml/120ml	1000	
NLD361	Urine container	30ml	1000	
NLD362	Sputum container (hand-pressed cap)	40ml	1000	
NLD363	Sputum container (screw-pressed cap)	30ml	1000	
NLD364	Urine container (hand-pressed cap)	40ml	1000	
NLD365	Stool container (hand-pressed cap)	40ml	1000	
NLD366	Reagents cup	60ml	1000	
NLD367	Drosophila bottles (bulk pack), 200pcs/bag	6oz/100ml	200	
NLD367-2	Drosophila bottles (rack pack), 20pcs/rack	6oz/100ml	200	
NLD368	Wash bottle	1000ml	100	50x70x70
NLD369	Wash bottle	500ml	200	50x70x70
NLD370	Wash bottle	250ml	400	50x70x70
NLD371	Wash bottle	1000ml	100	50x70x70
NLD372	Wash bottle	500ml	200	50x70x70
NLD373	Wash bottle	250ml	400	50x70x70
NLD374	Cell culture flasks	25ml/50ml/250ml/600ml Flask cap: A: plug seal B: vent Feature: C: non treated D: surface treated		
NLD395	Anti-light stool container	A: 25ml B: 30ml	3000	51x44.5x57



NLD376 Beaker

A. Beaker with Handle , PP materials
B. Beaker without Handle , PP materials

BEAKER WITH HANDLE	BEAKER WITHOUT HANDLE	VOL (ml)	SUBDIVISION (ml)	PACKING
NLD376-A1		250	25	64pcs/carton
NLD376-A2		500	50	36pcs/carton
NLD376-A3		1000	50	18pcs/carton
NLD376-A4		2000	100	12pcs/carton
NLD376-A5		5000	100	4pcs/carton
	NLD376-B1	50	5	100pcs/polybag,1000pcs/carton
	NLD376-B2	100	5	100pcs/polybag,1000pcs/carton
	NLD376-B3	150	5	100pcs/polybag,1000pcs/carton
	NLD376-B4	250	10	50pcs/polybag,000pcs/carton
	NLD376-B5	500	50	20pcs/polybag,400pcs/carton
	NLD376-B6	1000	100	100pcs/carton




NLD378 Measure Cup

WITH MOLDED GRADUATION	CAPACITY (ml)	Materials	PACKING
NLD378-1-1	20		2500pcs/carton
NLD378-1-2	30		2000pcs/carton
NLD378-1-3	50		2000pcs/carton
NLD378-1-4	100		1000pcs/carton
NLD378-2	30		500pcs/carton
NLD378-3	40		500pcs/carton







NLD375 Measuring Cylinders, PP materials

WITH MOLDED GRADUATION	WITH PRINTED GRADUATION	CAPACITY (ml)	SUBDIV (ml)	TOL. (± ml)	HEIGHT (mm)	PACKING
NLD375-1M	NLD375-1P	10	0.2	0.2	145	2each/dispenser box, 12x2each/carton
NLD375-2M	NLD375-2P	25	0.5	0.5	173	2each/dispenser box, 12x2each/carton
NLD375-3M	NLD375-3P	50	1	1	200	2each/dispenser box, 12x2each/carton
NLD375-4M	NLD375-4P	100	1	1	250	1each/dispenser box, 12x1each/carton
NLD375-5M	NLD375-5P	250	2	2	315	1each/dispenser box, 12x1each/carton
NLD375-6M	NLD375-6P	500	5	5	360	1each/dispenser box, 8x1each/carton
NLD375-7M	NLD375-7P	1000	10	10	440	1each/dispenser box, 6x1each/carton



NLD377 Volumetric flasks, PP Material

WITH MOLDED GRADUATION	CAPACITY (ml)	GL	TOL. (± ml)	PACKING
NLD377-1	10	18	0.08	2each/dispenser box, 24x2each/carton
NLD377-2	25	18	0.08	2each/dispenser box, 24x2each/carton
NLD377-3	50	18	0.12	2each/dispenser box, 24x2each/carton
NLD377-4	100	18	0.20	2each/dispenser box, 24x2each/carton
NLD377-5	250	25	0.30	1each/dispenser box, 24x1each/carton
NLD377-6	500	25	0.50	1each/dispenser box, 12x1each/carton
NLD377-7	1000	32	0.80	1each/dispenser box, 6x1each/carton



NLD396 Medicine cup

ITEM NO.	CAPACITY (ml)	PACKING
NLD396-1	25	100pcs/bag,50bags/carton
NLD396-2	30	100pcs/bag,50bags/carton
NLD396-3	60	50pcs/bag,50bags/carton

NLD379 Funnels

Plastic Funnels

With 60° bowl angle,unbreakable,short stem for smooth flow
25pcs/sleeve,4x25pcs/inner box,6x100pcs/carton

ITEM NO.	DIA. (mm)	DIM. (mm)	MATERIAL
NLD379-A1	4.5	φ55x69	PP
NLD379-B1	4.5	φ55x69	PS
NLD379-A2	4.5	φ65x78	PP
NLD379-B2	4.5	φ65x78	PS

General Funnel

Used to funnel liquids or solids into labware with a narrow neck or opening.

Stemmed Funnel, Glass






1)Borosilicate glass 3.3, with 60° bowl angle for precise fitting of filter paper
2)Long stem and short stem optional,depended on the applications.

Short Stem Funnel


ITEM NO.	DIA. (mm)	O.D.OF STEM(mm)	L(mm)	PACKING
NLD379S-1	40	7	40	12each/dispenser box, 12x12each/carton
NLD379S-2	50	7	50	12each/dispenser box, 12x12each/carton
NLD379S-3	60	8	60	12each/dispenser box, 12x12each/carton
NLD379S-4	75	9	75	8each/dispenser box, 12x8each/carton
NLD379S-5	90	11	90	8each/dispenser box, 12x8each/carton
NLD379S-6	100	13	100	6each/dispenser box, 8x6each/carton
NLD379S-7	120	15	120	6each/dispenser box, 6x6each/carton
NLD379S-8	150	17	150	2each/dispenser box, 12x1each/carton
NLD379S-9	180	18	150	1each/dispenser box, 12x1each/carton
NLD379S-10	210	21	160	1each/dispenser box, 12x1each/carton
NLD379S-11	240	24	180	1each/dispenser box, 4x1each/carton
NLD379S-12	300	26	200	1each/dispenser box, 4x1each/carton

Long Stem Funnel

ITEM NO.	DIA. (mm)	O.D.OF STEM(mm)	L(mm)	PACKING
NLD379L-1	50	7	150	12each/dispenser box, 12x12each/carton
NLD379L-2	60	8	150	8each/dispenser box, 6x8each/carton
NLD379L-3	75	9	150	8each/dispenser box, 6x8each/carton
NLD379L-4	90	11	150	8each/dispenser box, 12x8each/carton




Code NO.	Description	Specification	Raw material
NLD386	Inoculating Loop	10ul	ABS
NLD387	Inoculating Loop	1ul	ABS
NLD388	Inoculating needle		ABS
NLD389	Inoculating Loop with needle	10ul	AS
NLD390	Inoculating Loop with needle	1ul	AS
NLD391	Inoculating Loop with needle	10ul	PP
NLD392	Inoculating Loop with needle	1ul	PP
NLD393	Inoculating Loop	1ul&10ul	AS













Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD380	Embedding Cassette	Unfold (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x42
	Embedding Cassette	Folded (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x30
NLD381	Embedding Cassette	Unfold (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x42
	Embedding Cassette	Folded (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x30
NLD382	Embedding Cassette	Unfold (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x42
	Embedding Cassette	Folded (square holes/fine square holes/strip holes) □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x30
NLD383	Embedding Cassette		5000	56x42x42
NLD384	Digralasky Spreader	T shape,individual blister bag	2000	57x39x25
NLD384-2	Digralasky Spreader	T shape,5pcs per PE bag	2000	57x39x25
NLD385	Digralasky Spreader	L shape,individual blister bag	2000	57x39x25
NLD385-2	Digralasky Spreader	L shape,5pcs per PE bag	2000	57x39x25
NLD381-1	Embedding Cassette	45 angle, printing surface support of 45 angle, adaptable to most of the cassette	5000	56x42x30
NLD382-2	Embedding Cassette	Folded □ White ■ Blue ■ Green ■ Yellow ■ Pink	5000	56x42x42
NLD383-2	Embedding "O" type	ABS	5000	56x42x42



REFERENCE NUMBER		
A	Catalogue	NLD380-NLD385
B	unfold or folded	U:unfold/F:folded
C	color	W:white/B:blue/G:green/Y:yellow/P:pink
D	hole type	1:square holes/2:fine square holes/3:strip holes
E	middle packing	A:middle box/B:middle bag







REFERENCE NUMBER		
A	Catalogue	NLD386-NLD392
B	material	1: ABS/2: AS/3: PP
C	package	A:individual blister bag,4000pcs/carton, carton dimension:56x42x34cm B:10 pcs/blister bag,6000pcs/carton, carton dimension:40x32x34cm C:bulk package,10000pcs/carton, carton dimension:45x25x35cm



Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD410-1	Culture Plate, flat bottom	96 well	250	56x35x30
NLD410-2	Culture Plate, U bottom	96 well	250	56x35x30
NLD410-3	Culture Plate, V bottom	96 well	250	56x35x30
NLD411-1	Elasa Plate,with detachable strips 12strips x8pcs	96 well	250	56x35x30
NLD411-2	Elasa Plate,with detachable strips 8stripsx12pcs	96 well	250	56x35x30
NLD412	Culture Plate, flat bottom	24 well	190	56x35x30
NLD413-1	Culture Plate, U bottom	96 well	2000	56x42x34
NLD413-2	Culture Plate, V 90° bottom	96 well	2000	56x42x34
NLD413-3	Culture Plate, V 110° bottom	96 well	2000	56x42x34
NLD423-1	Culture Plate, U bottom disposable	96 well	2000	56x42x34
NLD423-2	Culture Plate, V 90° bottom disposable	96 well	2000	56x42x34
NLD423-3	Culture Plate, V 110° bottom disposable	96 well	2000	56x42x34
NLD423-4	Culture Plate, flat bottom disposable	96 well	2000	56x42x34
NLD422-1	PCR Plate	0.2ml,96well	700	56x42x42
NLD422-2	PCR Plate,skirted	0.2ml,96well	700	56x42x42
NLD422-3	PCR Plate,convex	0.2ml,96well	700	56x42x42
NLD422-4	PCR Plate,flat	0.2ml,96well	700	56x42x42
NLD415	Petri Dishes	Φ 35	2300	55x35x30
NLD416	Petri Dishes	Φ 60	1000	56x42x30
NLD417	Petri Dishes	Φ 70	720	38x37x33
NLD418-1	Petri Dishes,with vent	Φ 90	500	48x48x34
NLD418-2	Petri Dishes,without vent	Φ 90	500	48x48x34
NLD418-3	Petri Dishes,with vent	Φ 90x20		
NLD419	Petri Dishes	Φ 90 2rooms	500	48x48x34
NLD420	Petri Dishes	Φ 90 3rooms	500	48x48x34
NLD420-1	Petri Dishes	Φ 90 4rooms	500	48x48x34
NLD421	Petri Dishes	Φ150	240	61x46x46
NLD424	Petri Dishes	120x120	500	48x48x34
NLD425	Petri Dishes with counting areas	Φ 65	1000	56x42x30
NLD426	Siamese Petri dish	Φ 35	400	56x42x42
NLD427	Culture Plate, flat bottom	6wells	180	56x35x30
NLD428	Culture Plate, flat bottom	12wells	180	56x35x30
NLD429	96 Well Reaction plate (deep well)	2ml	180	56x35x30
NLD430	96 Well Reaction plate (deep well)	1.5ml	180	56x35x30
NLD431	Triangular Cell scraper	24X6cm, individual or 25pcs per PE bag	800	
NLD432	Triangular Cell scraper	21.5X3cm, individual or 25pcs per PE bag	800	
NLD433	Cell scraper	25X1.8cm or 25x3cm individual per PE bag	200	
NLD434	Cell scraper	40X1.8cm or 40x3cm individual per PE bag	200	



Code NO.	Description	Specification	Drop	Pack quantity	Carton Dimension
NLD450	Disposable Transfer Pipettes	1ml(145mm)		5000	78x28x44
NLD450-1	Disposable Transfer Pipettes individual blister bag	1ml(145mm)		3000	78x28x44
NLD450-2	Disposable Transfer Pipettes individual PE bag	1ml(145mm)		3000	78x28x44
NLD451	Disposable Transfer Pipettes	1ml(160mm)		5000	78x28x44
NLD451-1	Disposable Transfer Pipettes individual blister bag	1ml(160mm)		3000	78x28x44
NLD451-2	Disposable Transfer Pipettes individual PE bag	1ml(160mm)		3000	78x28x44
NLD452	Disposable Transfer Pipettes	3ml(160mm)		5000	79x30x44
NLD453	Disposable Transfer Pipettes	3ml(162mm)		5000	79x30x44
NLD454	Disposable Transfer Pipettes	5ml		250pcs/bag, 50bag/carton	72x35x50
NLD455	Disposable Transfer Pipettes	65mm	10ul	20000	78x28x44
NLD456	Disposable Transfer Pipettes	75mm	20ul	20000	78x28x44
NLD457	Disposable Transfer Pipettes	85mm	40ul	20000	78x28x44
NLD458	Disposable Transfer Pipettes	115mm	0.5ml	20000	78x28x44
NLD465	Disposable Transfer Pipettes	60mm	0.2ml	20000	76x44x24
NLD466	Disposable Transfer Pipettes		2ml	5000	78x28x44
NLD467	Disposable Transfer Pipettes		10ml	2500	76x44x28
NLD467-2	Disposable Transfer Pipettes		10ml	2500	76x44x28



STANDARD MICROSCOPE SLIDES&COLOR FROSTED SLIDES							
Name	Specification	Size(mm)	Thickness(mm)	Pieces per Box	Quantity per carton	GW/NW(kg)	Meast(cm)
7101	Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	0.8-1.0	50/72	50	14/13	32x17x16
						17/16	43x17x16
		25.4 x 76.2(1"X3")	1.0-1.2	50/72	50	15/14	43x15x16
	Ground Edges 90° corner	25.4 x 76.2(1"X3")	0.8-1.0	50/72	50	14/13	32x17x16
						17/16	43x17x16
		25.4 x 76.2(1"X3")	1.0-1.2	50/72	50	15/14	43x15x16
7102	Unground Edges 90° corner	25.4 x 76.2(1"X3")	0.8-1.0	50/72	50	14/13	32x17x16
						17/16	43x17x16
		25.4 x 76.2(1"X3")	1.0-1.2	50/72	50	15/14	43x15x16
	Unground Edges 45° corner	25.4 x 76.2(1"X3")	0.8-1.0	50/72	50	14/13	32x17x16
						17/16	43x17x16
		25.4 x 76.2(1"X3")	1.0-1.2	50/72	50	15/14	43x15x16
7103	Single Cavity,Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.2-1.5	50	50	16/15	43x17x16
		25.4 x 76.2(1"X3")	1.2-1.5	72	50	23/22	43x23x16
7104	Double Cavities,Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.2-1.5	50	50	16/15	43x17x16
		25.4 x 76.2(1"X3")	1.2-1.5	72	50	23/22	43x23x16
7105	Frosted One End On One Side, Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Frosted One End On One Side, Ground Edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Deep sand blast type Frosted One End On One Side, Ground Edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7105-1	Special polishing process type Frosted One End On One Side, Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Frosted One End On One Side, Unground Edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Frosted One End On One Side, Unground Edges 45° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7106	Frosted Both Ends On One Side, Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7107	Frosted One End On Both Sides, Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7107-1	Frosted One End On Both Sides, Ground Edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Frosted One End On Both Sides, Unground Edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Frosted One End On Both Sides, Unground Edges 45° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7108	Frosted Both Ends On Both Sides 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7109	Colour Frosted,Ground Edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7110	Colour Frosted,Ground Edges 90° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7111	Frosted On One Side 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
7111	Frosted On Both Sides 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16

Name	Specification	Size(mm)	Thickness(mm)	Pieces per Box	Quantity per carton	GW/NW(kg)	Meast(cm)
8109	Color frosted one end on one side ground edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Color frosted one end on one side ground edges 90° corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
8109 (B series)	Color frosted one end on one side beveled edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
	Plain, beveled edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
8105	Frosted one end on one side beveled edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16
8107	Frosted one end on both side beveled edges 45° clipped corner	25.4 x 76.2(1"X3")	1.0-1.2	50	50	15/14	43x15x16
		25.4 x 76.2(1"X3")	1.0-1.2	72	50	20/19	43x19x16

8110 Positive charged slides



8110-A Positive charged slides

These Color-Frosted(+) glass slides are made by a new process which offers the following features: They place a permanent positive charge in the microscope slide.

- 1).They electrostatically attract frozen tissue sections and cytology preparations, binding them to the slide.
- 2).They form a bridge so that covalent bonds develop between formalin fixed sections and the glass.
- 3).Tissue sections and cytological preparations adhere better to the Plus glass slides without the need for special adhesives or protein coatings.



8110-C Silane Slides

This kind of slides is prepared by Silane, to enhance adhesion of histological and plastic sections to Microscope Slides.



8110-B Polysine slides

Our premium glass slides with a frosted end are now available pre-coated with Polysine These slides improve the adhesion of tissues to the slide.



8110-D Cytology adhesive slides

Slides HDAS004, are ideal for cytogenetic applications, with color frosted end, Hydrophilic surface.

REFERENCE NUMBER : XXXX XX X X X XX X
A B C D E F G

A	Slide type	7101/7102/7103/7104/7105/7106/7107/7107-1/7108/7109/7110/7111/8109/8101/8105/8107/8110
B	Quantity	50: 50pcs / 72: 72pcs
C	Quality	A: A quality / B: B quality / C: C quality
D	With or without tissue paper interleaved	1: with tissue paper interleaved / 2: without tissue paper interleaved
E	Polishing type	1: sand blast polishing / 2: water polishing / 3: water polishing +special polishing process / 4: chemical polishing
F	Angle degree	45: 45° / 90: 90° / B:Beveled edges
G	Box	1: flip-flap cardboard box/ 2: cigarette box/ 3:flip-flap plastic box



1: flip-flap cardboard box



2: cigarette box



3:flip-flap plastic box

MICROSCOPE COVER SLIDES

Name	Specification	Size(mm)	Thickness(mm)	Pieces per Box	Quantity per carton	GW/NW(kg)	Meas.(cm)
7201	Cover Glass (flip-flap box)	14x14	0.13-0.17	100	500	9/8	31x30x14
		16x16	0.13-0.17	100	500	10/9	31x30x14
		18x18	0.13-0.17	100	500	11/10	31x30x14
		20x20	0.13-0.17	100	500	12/11	31x30x14
		22x22	0.13-0.17	100	500	14/13	36x34x14
		22x26	0.13-0.17	100	300	13/12	36x25x14
		24x24	0.13-0.17	100	500	17/16	36x34x14
		24x32	0.13-0.17	100	200	11/10	35x17x14
		24x40	0.13-0.17	100	200	13/12	36x26x14
		24x50	0.13-0.17	100	200	13/12	36x28x14
7201	Cover Glass (hinged-lid box)	14x14	0.13-0.17	200	250	9/8	31x30x14
		16x16	0.13-0.17	200	250	10/9	31x30x14
		18x18	0.13-0.17	200	250	11/10	31x30x14
		20x20	0.13-0.17	200	250	12/11	31x30x14
		22x22	0.13-0.17	200	250	14/13	36x34x14
		22x26	0.13-0.17	200	150	13/12	36x25x14
		24x24	0.13-0.17	200	250	17/16	36x34x14
		24x32	0.13-0.17	200	100	11/10	35x17x14
		24x40	0.13-0.17	200	100	13/12	36x26x14
		24x50	0.13-0.17	200	100	13/12	36x28x14
		24x60	0.13-0.17	200	100	14/13	35x31x14

REFERENCE NUMBER : XXXX XXXX X X X
A B C D E

A	Name	7201
B	Size	14x14/16x16x18x18/20x2022x22/22x26/24x24/24x32/24x40/24x50/24x60
C	Colour	G: Common green colour / S: White color: silicone / SB: White color: borosilicate
D	Package	1: Common PE package / 2: Aluminium foil package
E	Box	1: Plastic flip-flap box / 2: Plastic hinged-lid box



1: Plastic hinged-lid box



2.Single box with aluminium foil package










3.Plastic flip-flap box







4: Common PE package



5:10 boxes with aluminium foil package



Code NO.	Description	Specification	Raw Material	Pack quantity	Carton Dimension
NLD540	Glass Slides Storage Box	A1,1piece	PP	2000	42x42x26
		A2,1piece horizontal	PP	2000	
	Glass Slides Storage Box	B1,2piece	PP	1000	42x42x26
		B2,2piece horizontal	PP	1000	
	Glass Slides Storage Box	C1,3piece	PP	700	42x42x26
		C2,3piece vertical screw cap	PP	500	
NLD541	Glass Slides Storage Box	D1,5piece	PP	2000	53x33x63
		D2,2piece vertical	PP	1000	
NLD541	Glass Slides Storage Box	25 pcs	A:ABS B:HIPS	320	53x33x63
NLD542	Glass Slides Storage Box	50 pcs	A:ABS B:HIPS	160	53x33x63
NLD543	Glass Slides Storage Box	50 pcs	A:ABS B:HIPS	160	53x33x63
NLD544	Glass Slides Storage Box	100 pcs	A:ABS B:HIPS	80	53x33x63
NLD545	Cardboard Mailer For Micro Slides	1 piece	PP	2000	42x42x26
NLD546	Cardboard Mailer For Micro Slides	2 pcs	PP	1000	42x42x26
NLD547	Cardboard Mailer For Micro Slides	3 pcs	PP	700	42x42x26
NLD548	Cardboard Mailer For Micro Slides	4 pcs	PP	500	42x42x26
NLD549	Cardboard Mailer For Micro Slides	5 pcs	PP	300	43x36x22
NLD550	Cardboard Mailer For Micro Slides	9 pcs, 10 pcs, 20 pcs, 24 pcs available			
NLD550	Buckled hinged slide strage box	25pcs	A:ABS B:HIPS	120	40x36x38
NLD551	Buckled hinged slide strage box	50pcs	A:ABS B:HIPS	100	55x36x45
NLD552	Buckled hinged slide strage box	100pcs	A:ABS B:HIPS	40	39x35x45















Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD560	Slides dispenser	capacity: 20pcs		59x27x37
NLD561	Slides Staining Jar, Glass	capacity: 5pcs	60	45x37x25
NLD562	Slides Staining Jar, Glass	capacity: 10pcs	64	43x34x24
NLD563	Slides Staining Rack	capacity: 30pcs	50	47x47x20
NLD564	Slides Staining Rack	capacity: 24pcs	100	50x47x23
NLD565 Sterilization bottle for petri dish				
Code	Name	Specification	Materail	Quantity
NLD565-1	Sterilization bottle for petri dish dia:60mm	dia:75* height:230mm	stainless steel	25
NLD565-2	Sterilization bottle for petri dish dia:75mm	dia:102x height:250mm	stainless steel	20
NLD565-3	Sterilization bottle for petri dish dia:90mm	dia:108*height:250mm	stainless steel	20
NLD565-4	Sterilization bottle for petri dish dia:100mm	dia:138*height:250mm	stainless steel	20
NLD565-5	Sterilization bottle for petri dish dia:120mm	dia:138*height:280mm	stainless steel	20
NLD565-6	Sterilization bottle for petri dish dia:150mm	dia:168*height:300mm	stainless steel	20

NLD566 Sterilization bottle for pipette				
Code	Name	Specification	Materail	Quantity
NLD566-1	Sterilization bottle for pipette	dia:63* height:250mm	stainless steel	25
NLD566-2	Sterilization bottle for pipette	dia:63x height:350mm	stainless steel	25
NLD566-3	Sterilization bottle for pipette	dia:63x height:360mm	stainless steel	25
NLD566-4	Sterilization bottle for pipette	dia:63*height:400mm	stainless steel	25
NLD566-5	Sterilization bottle for pipette	dia:63*height:500mm	stainless steel	25
NLD566-6	Sterilization bottle for pipette	dia:75*height:500mm	stainless steel	25
NLD566-7	Sterilization bottle for pipette	dia:102*height:350mm	stainless steel	20
NLD566-8	Sterilization bottle for pipette	dia:102*height:360mm	stainless steel	20
NLD566-9	Sterilization bottle for pipette	dia:108*height:350mm	stainless steel	20
NLD566-10	Sterilization bottle for pipette	dia:108*height:360mm	stainless steel	20

NLD570	Slides Staining Jar, Glass	capacity:9pcs	60	45x37x25
NLD571	Slides Staining Jar, Glass	capacity:40pcs	40	45x37x25
NLD572	Slides Staining Jar, Glass	capacity:60pcs	20	45x37x25
NLD573	Slides staining rack	capacity:60pcs	25	47x47x20
NLD574	Slides staining rack	capacity:20pcs		
NLD575	Slides staining rack	capacity:30pcs		
NLD576	Slides Staining Jar, Glass	capacity:30pcs	20	45x37x25









NLD577 Slide Moisture Chamber				
Code	Name	color	chamber size(mm)	product weight
NLD577-1	storage capacity:10pcs	transparent	275*88*50	350
NLD577-2	storage capacity:20pcs	transparent	275*168*50	650
NLD577-3	storage capacity:30pcs	transparent	275*368*50	850
NLD577-4	storage capacity:10pcs	black	275*88*50	350
NLD577-5	storage capacity:20pcs	black	275*168*50	650
NLD577-6	storage capacity:30pcs	black	275*368*50	850









NLD625 Wooden Stick						
Code No	Length	Diameter	Unit	Quantity/ unit	Quantity/ Carton	Carton Dimension
NLD625-A	3inch	D:2.2mm	bag/ box	1000	50000	44x17x32
NLD625-B		D:2.2mm	bag/ box	1000	50000	44x31.5x32
NLD625-C	6inch	D:2.5mm	bag/ box	1000	50000	44x31.5x38
NLD625-D		D:3.0mm	bag/ box	1000	20000	44x31.5x28
NLD625-E	8inch	D:2.2mm	bag/ box	1000	25000	44x21.5x32

Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD600	Swab	Stainless steel applicator	3000	58x34x41
NLD601	Swab	Plastic applicator	2000	61x29.6x38.5
NLD602	Swab	Wooden applicator	2000	61x29.6x38.5
NLD603	Swab with medium	Amies	800	53x40x40
NLD603	Swab with medium	Stuart	800	53x40x40
NLD603	Swab with medium	Cary Blair	800	53x40x40
NLD604	Swab with medium	Amies , with active charcoal	800	53x40x40
NLD604	Swab with medium	Stuart , with active charcoal	800	53x40x40
NLD605	Swab	6", Wooden/plastic	20000	44x31x32
A. Nature Cotton B. Artificial Cotton				
NLD606	Swab	6", wooden/plastic applicator with individual package	5000	40x37x40
NLD607	Cervical brush	A type	2000	50x40x44
NLD607-2	Cervical brush	A type with tube	2000	50x40x44
NLD608	Cervical brush	B type	2000	50x40x44
NLD610	Cervical brush	D type	2000	50x40x44





Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD611	Cervical brush	E type	2000	50x40x44
NLD612	Cervical brush	F type	2000	50x40x44
NLD613	Cervical brush	G type	2000	50x40x44
NLD614	Cervical brush	H type	2500	50x40x44
NLD614-2	Cervical brush	H type cone shpe brush	2500	50x40x44
NLD614-3	Cervical brush	with transprent ball on head	2500	50x40x44
NLD614-4	Cervical brush	with transprent ball on head	2500	50x40x44
NLD614-5	Cervical brush	with white ball on head	2500	50x40x44
NLD615	Cervical brush	I type	2500	50x40x44
NLD616	Cervical brush	J type	2500	50x40x44
NLD617	Cervical brush	K type	2500	50x40x44
NLD618	Cervical scraper	type A	2500	50x40x44
NLD619	Cervical scraper	type B	2500	50x40x44
NLD620	Cervical scraper	type C	2500	50x40x44
NLD621	Cervical scraper	type D	2500	50x40x44

REFERENCE NUMBER		
A	Catalogue	NLD607-NLD621
B	Type	A/B/C/D/E/F/G
C	Package	A:peel-of bag/B:paper bag/C:PE/D:bulk
D	Sterile	S:Sterile/N:Non-sterile
E	Material	01:PP/02:PS/03:PE



PTFE STIRRING BAR

Code NO.	SPECIFICATIONS (CM)
NLD701 Type B	3*6, 5*10, 5*15, 7.5*15, 8*20, 7*25, 8*25, 8*28, 7*30, 8*30, 7*34, 9*35, 8*40, 8*45, 11*36, 10*48.5, 11*52, 10*57, 10*60, 10.5*100
NLD702 Type Z	3*5, 2*7, 3*7, 3*9, 3*12, 5*10, 5*15, 6*15, 8*15, 7*18, 6*10, 6*20, 6*25, 6*30, 6*35, 7*20, 7*25, 8*25, 7*30, 8*30, 8*35, 8*40, 8*45, 8*50, 12*50, 17*55, 9*60, 9*70, 9*80, 14*80, 16*100
NLD703 Type L	6*10, 7*15, 8*20, 10*25, 11*28, 11*30, 12*35, 15*40, 16*50, 20*60, 20*70
NLD704 Type HL	6*10, 7*15, 11*20, 12*25, 13*30, 16*35, 20*40, 20*50
NLD705-1 Type D	14*30, 10*40, 12*50, 13*60
NLD705-2 Type H	13*41, 13*60
NLD706	5.5*42
NLD707	42*42



NLD630 ESR STAND AND ESR GLASS TUBE
5 hole stand and 10 hole stand available
packing:10pcs/cartons
carton size:35*29*26cm




NLD631 MICROHAEMATOCRIT TUBE
Sodium-Heparinized and Non-Heparin Tube available
Specification:
Length:75mm
Inside Diameter:1.1-1.2mm
Outside Diameter:1.5-1.6mm
Blue line – Non heparin tube
packing:100pcs/bottle,500bottles/cartons
carton size:45*27*26cm



NLD632MORTAR WITH PESTLE, CERAMICS

Diameter	Quantity/Carton	Carton Size
60mm	80	43x26x25cm
80mm	40	43x26x25cm
100mm	36	50x26x24cm
130mm	24	43x33x31cm
160mm	12	57x38x21cm
216mm	8	53x42x26cm
254mm	4	57x32x35cm
305mm	4	65x36x32cm
356mm	2	43x37x33cm



NLD633 Filter Paper

Type	Size available
Qualitative filter paper 80g/m ²	Fast speed 101 60X60cm, Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm
	Medium speed 102 60X60cm, Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm
	Slow speed 103 60X60cm, Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm
Quantitative filter paper 80g/m ²	Fast speed 201 Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm
	Medium speed 202 Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm
	Slow speed 203 Φ7cm, Φ9cm, Φ11cm, Φ12.5cm, Φ15cm, Φ18cm, Φ22cm




NLD634 HEMOCYTOMETER SET
Components: Counting chambers, Erythrocyte pipette, Leucocyte pipette
Packing:100sets/carton, carton size:51x25x54cm



NLD670 ALCOHOL PREPADS
Contents:70% isopropyl alcohol
Non-woven size:65x30mm, Pouch size:50x50mm



NLD679 Disposable pap smear kits
1. One endocervical brush
2. One wooden spatula
3. One cotton tipped applicator
4. One glass slide with frosted end



NLD671 Blood Lancet Series
A: Flake type
B: Twist type
C: Capped type
D: Lancing device
E: Safety type
F: Auto-safety type
G: Depth adjustable safety type



NLD672-A Mechanical Timer:
count Down timer: 0~ 60 se



NLD672-B Electrical Timer
Details:
1.Clock: Hr/Min/Sec on Display (AM/PM)
2.Count UP Timer: Up to 99 hr 59 min 59 sec - 4 Set or
3.Count Down Timer: Up to 99 hr 59 min 59 sec 4 set
4.Requires: 2 x 1.5V LR44 Lithium Batteries (included)
5. There is magnet, support and hanghole at the back side of the products
6.Visible area for customized logo imprint
7.LCD screen size: 5.45*2.45cm
8.Dimensions : 9.3*7.0*2.45cm,



NLD674 Sharp Container, T type
Available Capacity: 1.0L, 2.0L, 5.0L, 8.0L



NLD675 Sharp Container, Y type
Available Capacity: 0.7L, 0.8L, 3.0L, 4.0L, 5.0L, 6.0L



NLD676 Sharp Container, R type
Available Capacity: 0.7L, 1.0L, 1.5L, 2.0L, 3.0L, 6.0L, 8.0L



NLD677 Sharp Container, Y type
Available Capacity: 2.0L, 2.7L, 4.0L, 5.0L, 6.2L, 7.0L, 10.0L, 15.0L, 23.0L

BEST QUALITY- BEST PRICE



Vacuum Tube Volume Specification:

Tube without separate gel

1ml,2ml,3ml,4ml,5ml	13x75
6ml,7ml	13x100
8ml,9ml,10ml	16x100

Tube with separate gel(yellow cap)

1m,12ml,3ml,4ml	13x75
5ml,6ml	13x100
7ml,8ml,9ml	16x100



Code NLD 9X0A Description Red Cap Specification Plain tube
Volume: X=1,2,3,4,5,6,7,8,9,10 (ml)



Code NLD9X0HL Description Green Cap Specification Heparin Li
Code NLD9X0HN Description Green Cap Specification Heparin Na
Volume: X= 1,2,3,4,5,6,7,8,9,10 (ml)



Code NLD9X0SG Description Yellow Cap Specification Separate Gel
Volume: X=1,2,3,4,5,6,7,8,9 (ml)



Code NLD9X0B Description Orange Red Cap, with clot activator Specification
Volume: X=1,2,3,4,5,6,7,8,9,10(ml)



Code NLD9X0GP Description Grey Cap Specification Glucose
Volume: X=1,2,3,4,5,6,7,8,9,10(ml)



Code NLD924SC Description Black Cap, Specification ESR 2.4ml
Code NLD916SC Description Black Cap, Specification ESR 1.6ml




Code NLD9X0EK Description Purple Cap Specification EDTAK3
Volume: X=1,2,3,4,5,6,7,8,9,10(ml)




Code NLD918SC Description Blue Cap, Coagulation Specification 13*75mm, 1.8ml
Code NLD927SC Description Blue Cap, Coagulation Specification 13*75mm, 2.7ml




Code NLD9128SC Description Black Cap Specification ESR 1.28ml
*1:A 8*120mm B 9*120mm
2:C single ring D double ring




Code NLD909 Description Pediatric collection tube with capillary




Code NLD9XONYY Description All type Specification No-vacuum tube
Volume: X=1,2,3,4,5,6,7,8,9,10 (ml)
Type: YY stand for different type of tube
Same as Vacuum tube.
N means not- vacuum PP tube



NLD900-1 NLD901-1 NLD902-1 NLD903-1



NLD902-2





NLD904 NLD905 NLD906 NLD907

Code NO.	Description	Specification	Pack quantity	Carton Dimension
NLD900-1	Non-vacuum tube, Heparin Lithium, blue cap	18x55mm, 5ml	1000	48x25x33.5
NLD901-1	Non-vacuum tube, Potassium Oxalate+Fluoride sodium, yellow cap	18x55mm, 5ml	1000	48x25x33.5
NLD902-1	Non-vacuum tube, EDTAK3, green cap	18x55mm, 5ml	1000	48x25x33.5
NLD903-1	Non-vacuum tube, plain, red cap	18x55mm, 5ml	1000	48x25x33.5
NLD900-2	Non-vacuum tube, Heparin Lithium, blue cap	13x55mm, 2.5ml	1500	35.5x33.5x40
NLD901-2	Non-vacuum tube, Potassium Oxalate+Fluoride sodium, yellow cap	13x55mm, 2.5ml	1500	35.5x33.5x40
NLD902-2	Non-vacuum tube, EDTAK3, green cap	13x55mm, 2.5ml	1500	35.5x33.5x40
NLD903-2	Non-vacuum tube, plain, red cap	13x55mm, 2.5ml	1500	35.5x33.5x40
NLD904	Micro blood collection tube, Heparin lithium	0.5ml	500	26x17x17
NLD905	Micro blood collection tube, Plain	0.5ml	500	26x17x17
NLD906	Micro blood collection tube, Gel+Clot Activator	0.5ml	500	26x17x17
NLD907	Micro blood collection tube, EDTAK3	0.5ml	500	26x17x17

NLD941 Vacuum Tube components


Code No.	Product Name	Specification	Quantity/ carton	Carton Dimension (CM)	G.W./N.W. (KG)
A	Vacuum Tube Cap	13MM	8000	51x36x29	21/20
		16MM	5000	41.5x35.5x26.5	15.5/14.5
B	Rubber Cap	12MM			
		13MM			
C	PET Tube	16MM			
		13x75mm	4000	45x34x32	15/14
		13x100mm	4000	44x36.5x43.5	21.5/20.5
		16x100mm	2100	48x33x33	15.5/14.5




NLD945
A: Pen type
B: Flash-back needle




NLD946 Butterfly type



NLD947
A: Needle Holder
B: Safety Needle Holder



NLD948 Tourniquet
A. With Buckle B. Latex free in rolls C. Rubber Ring



NLD910 FLAT NON VACUUM BLOOD COLLECTION TUBE
Vol.5ml, 16. 5x55mm

TIEM NO.	LABEL	MATERIAL	PACKING
NLD910-8-1	with label	PP	100pcs/polybag,10x100pcs/carton
NLD910-8-2	/	PP	100pcs/polybag,10x100pcs/carton
* NLD910-8-3	with label	PP	10x100tubes+1x1000caps/carton
* NLD910-8-4	/	PP	10x100tubes+1x1000caps/carton

Vol.10ml, 16. 5x102mm

TIEM NO.	LABEL	MATERIAL	PACKING
NLD910-12-1	with label	PS	100pcs/polybag,10x100pcs/carton
NLD910-12-2	with label	PP	100pcs/polybag,10x100pcs/carton
* NLD910-12-3	with label	PS	10x100tubes+1x1000caps/carton
* NLD910-12-4	with label	PP	10x100tubes+1x1000caps/carton

* Caps and Tubes separately packed in different polybags and in same carton

Optional Screw Caps

TIEM NO.	COLOR	MATERIAL	PACKING
NLD910SC-1	White	PP	1000pcs/polybag,2x1000pcs/carton
NLD910SC-2	Yellow	PP	1000pcs/polybag,2x1000pcs/carton
NLD910SC-3	Orange	PP	1000pcs/polybag,2x1000pcs/carton
NLD910SC-4	Pink	PP	1000pcs/polybag,2x1000pcs/carton
NLD910SC-5	Blue	PP	1000pcs/polybag,2x1000pcs/carton



NLD 654 Desiccator
With Porcelain Plate, Clear glass/Amber glass
Clear glass



TIEM NO.	I.D.(mm)	OVERALL HEIGHT(mm)	PORCELAIN PLATE DIAM. (mm)	PACKING
NLD654-1-1	120	165	92	2ea./carton
NLD654-1-2	150	220	135	2ea./carton
NLD654-1-3	180	280	150	2ea./carton
NLD654-1-4	210	320	185	1ea./carton
NLD654-1-5	240	360	210	1ea./carton
NLD654-1-6	300	365	275	1ea./carton
NLD654-1-7	350	405	315	1ea./carton
NLD654-1-8	400	470	355	1ea./carton

Amber glass


TIEM NO.	I.D.(mm)	OVERALL HEIGHT(mm)	PORCELAIN PLATE DIAM. (mm)	PACKING
NLD654-2-1	120	165	92	2ea./carton
NLD654-2-2	150	220	135	2ea./carton
NLD654-2-3	180	280	150	2ea./carton
NLD654-2-4	210	320	185	1ea./carton
NLD654-2-5	240	360	210	1ea./carton
NLD654-2-6	300	365	275	1ea./carton
NLD654-2-7	350	405	315	1ea./carton
NLD654-2-8	400	470	355	1ea./carton

Vacuum Desiccator
Clear glass with porcelain base and ground-in stopcock,
specially for conservation applications


TIEM NO.	I.D.(mm)	OVERALL HEIGHT(mm)	PORCELAIN PLATE DIAM. (mm)	MATERIAL	PACKING
NLD654-3-1	150	220	135	Clear Glass	2ea./carton
NLD654-3-2	210	320	185	Clear Glass	1ea./carton
NLD654-3-3	240	360	210	Clear Glass	1ea./carton
NLD654-3-4	300	450	275	Clear Glass	1ea./carton
NLD654-3-5	150	220	135	Amber Glass	2ea./carton
NLD654-3-6	210	320	185	Amber Glass	1ea./carton
NLD654-3-7	240	360	210	Amber Glass	1ea./carton
NLD654-3-8	300	450	275	Amber Glass	1ea./carton



Code NO.	Description	Material	Packing
NLD920	NLD920-1 ESR Pipette	PS,PP	100set/box,1000set/ctn
	NLD920-2 ESR vial with 3.8% sodium citrate diluents	PE	
NLD921	NLD921-1 ESR Pipette	PS,PP	100set/box,1000set/ctn
	NLD921-2 ESR vial with 3.8% sodium citrate diluents	PE	
NLD922-1	ESR Pipette	PS,PP	200pcs/box,2000pcs/ctn



NLD926 ESR pipette stand



NLD927 ESR tube stand



NLD99X Parafilm

Code No.	Unit Dimension	Package Specification
NLD996	10cmx38m(4INx125FT)	1pcs/box,15boxes/carton
NLD992	5cmx76m(2INx250FT)	1pcs/box,15boxes/carton

RAPID TESTS

>> FERTILITY TESTS

hCG - PREGNANCY TEST

The hCG Rapid Tests are a rapid chromatographic immunoassay, used for early detecting human chorionic gonadotropin (hCG) in human urine and/or serum to indicate pregnancy.

Features

- Serum/urine hCG test in one strip/cassette
- Cut-off available: 10mIU/mL, 20mIU/mL, 25mIU/mL
- CE certified by European Notified Body TUV (CE0123)

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
NLD811-11U	hCG Pregnancy Test Strip	Urine	Strip	50T	10 mIU/mL	CE
NLD811-14U	hCG Pregnancy Test Strip	Urine	Strip	1T		CE
NLD811-23U	hCG Pregnancy Test Cassette	Urine	Cassette	25T		CE
NLD811-24U	hCG Pregnancy Test Cassette	Urine	Cassette	1T		CE
NLD811-35U	hCG Pregnancy Test Midstream	Urine	Midstream	20T		CE
NLD811-36U	hCG Pregnancy Test Midstream	Urine	Midstream	1T	25 mIU/mL	CE
NLD811-11P	hCG Pregnancy Test Strip	Serum	Strip	50T		CE
NLD811-23P	hCG Pregnancy Test Cassette	Serum	Cassette	25T		CE
NLD811-11B	hCG Pregnancy Test Strip	Urine/Serum	Strip	50T		CE
NLD811-23B	hCG Pregnancy Test Cassette	Urine/Serum	Cassette	25T		CE
NLD812-11U	Lh Ovulation Test Strip	Urine	Strip	50T	25 mIU/mL	CE
NLD812-23U	Lh Ovulation Test Cassette	Urine	Cassette	25T		CE
NLD812-35U	Lh Ovulation Test Midstream	Urine	Midstream	20T		CE
NLD812-36U	Lh Ovulation Test Midstream	Urine	Midstream	1T		CE
NLD813-11U	FSH Menopause Test Strip	Urine	Strip	50T		—
NLD813-23U	FSH Menopause Test Cassette	Urine	Cassette	25T	25 mIU/mL	—

RAPID TESTS

>> SEXUALLY TRANSMITTED DISEASE TESTS

ANTI-HIV 1/2 TEST

The anti-HIV 1/2 rapid tests are a rapid chromatographic immunoassay, used for qualitative detection of antibodies to HIV-1 and HIV-2 simultaneously in human serum, plasma or whole blood.

Features

- NO. 1 quality in China, awarded by China CDC (2015, 2016)
- Sensitivity: 100%, Specificity: 100%
- Detects antibodies generated against p24 antigen
- Both for professional and OTC use (with lancet, alcohol pad)

Cat. No.	Product Description	Specimen	Format	Kit size	Sensitivity	CE status
NLD831-11W	HIV 1/2 Ab Test Strip	WB/S/P	Strip	50T	99.70%	—
NLD831-23W	HIV 1/2 Ab Test Cassette	WB/S/P	Cassette	25T		—
NLD832-11W	HIV 1/2 Ab Test Strip (Tri-lined)	WB/S/P	Strip	50T		—
NLD832-23W	HIV 1/2 Ab Test Cassette (Tri-lined)	WB/S/P	Cassette	25T	99.40%	—
NLD833-11W	Syphilis (TP) Ab test strip	WB/S/P	Strip	50T		CE
NLD833-23W	Syphilis (TP) Ab test Cassette	WB/S/P	Cassette	25T		CE
NLD834-11S	Gonorrhea Ag Test Strip	Swab	Strip	20T	98.23%	CE
NLD834-23S	Gonorrhea Ag Test Cassette	Swab	Cassette	20T		CE
NLD835-11S	Chlamydia Trachomatis Ag Test Strip	Swab	Strip	20T	97.55%	CE
NLD835-23S	Chlamydia Trachomatis Ag Test Cassette	Swab	Cassette	20T		CE
NLD836-11P	Chlamydia Trachomatis Ab Test Strip	S/P	Strip	50T	95.60%	CE
NLD836-23P	Chlamydia Trachomatis Ab Test Cassette	S/P	Cassette	25T		CE

RAPID TESTS

>> HEPATITIS VIRUS TESTS

ANTI - HCV TEST

HBSAG TEST

Cat. No.	Product Description	Specimen	Format	Kit size	Sensitivity	CE status
NLD821-11W	HAV Hepatitis A Virus Ab IgM Test Strip	WB/S/P	Strip	50T	98.90%	—
NLD821-23W	HAV Hepatitis A Virus Ab IgM Test Cassette	WB/S/P	Cassette	25T		—
NLD822-43W	HBV Hepatitis B Virus S-in-1 Test Panel	WB/S/P	Panel	20T		—
NLD823-11W	HBsAg Hepatitis B Surface Ag Test Strip	WB/S/P	Strip	50T	1 mIU/mL	—
NLD823-23W	HBsAg Hepatitis B Surface Ag Test Cassette	WB/S/P	Cassette	25T		—
NLD824-11W	HBsAb Hepatitis B Surface Ab Test Strip	WB/S/P	Strip	50T	99.60%	—
NLD824-23W	HBsAb Hepatitis B Surface Ab Test Cassette	WB/S/P	Cassette	25T		—
NLD825-11W	HBcAg Hepatitis B Envelope Ag Test Strip	WB/S/P	Strip	50T	99.60%	—
NLD825-23W	HBcAg Hepatitis B Envelope Ag Test Cassette	WB/S/P	Cassette	25T		—
NLD826-11W	HBcAb Hepatitis B Envelope Ab Test Strip	WB/S/P	Strip	50T	91.50%	—
NLD826-23W	HBcAb Hepatitis B Envelope Ab Test Cassette	WB/S/P	Cassette	25T		—
NLD827-11W	HBcAb Hepatitis B Core Ab Test Strip	WB/S/P	Strip	50T	93.50%	—
NLD827-23W	HBcAb Hepatitis B Core Ab Test Cassette	WB/S/P	Cassette	25T		—
NLD828-11W	HCV Hepatitis C Virus Ab Test Strip	WB/S/P	Strip	50T	99.80%	—
NLD828-23W	HCV Hepatitis C Virus Ab Test Cassette	WB/S/P	Cassette	25T		—
NLD829-11W	HBV Hepatitis E Virus Ab IgM Test Strip	WB/S/P	Strip	50T	98.91%	—
NLD829-23W	HBV Hepatitis E Virus Ab IgM Test Cassette	WB/S/P	Cassette	25T		—

RAPID TESTS

>> INFECTIOUS DISEASE TESTS

MALARIA ANTIGEN TEST



TYPHOID ANTIBODY TEST

Cat. No.	Product Description	Specimen	Format	Kit size	CE status
NLD841-23WM	Dengue Ag NS1 Test Cassette	WB/S/P	Cassette	25T	CE
NLD842-43WG	Dengue Ab IgM/IgG Test Panel	WB/S/P	Panel	25T	CE
NLD843-43W	Dengue NS1/IgM/IgG Test Panel	WB/S/P	Panel	20T	CE
NLD844-11W	HPyLori Ab Test Strip	WB/S/P	Strip	50T	CE
NLD844-23W	HPyLori Ab Test Cassette	WB/S/P	Cassette	25T	CE
NLD845-11F	HPyLori Ag Test Strip	Feces	Strip	20T	CE
NLD845-23F	HPyLori Ag Test Cassette	Feces	Cassette	20T	CE
NLD846-11W	Malaria Pf Ag Test Strip	Whole Blood	Strip	50T	CE
NLD846-23W	Malaria Pf Ag Test Cassette	Whole Blood	Cassette	25T	CE
NLD847-11W	Malaria Pv Ag Test Strip	Whole Blood	Strip	50T	CE
NLD847-23W	Malaria Pv Ag Test Cassette	Whole Blood	Cassette	25T	CE
NLD848-23W	Malaria Pf/Pv Ag Test Cassette	Whole Blood	Cassette	25T	CE
NLD849-23W	Malaria Pf/Pan Ag Test Cassette	Whole Blood	Cassette	25T	CE
NLD8410-23W	Typhoid Ab IgM/IgG Test Cassette	WB/S/P	Cassette	25T	CE
NLD8411-11W	TB Tuberculosis Ab IgG Test Strip	WB/S/P	Strip	50T	CE
NLD8411-23W	TB Tuberculosis Ab IgG Test Cassette	WB/S/P	Cassette	25T	CE

RAPID TESTS

>> INFECTIOUS DISEASE TESTS

H.PYLORI ANTIBODY TEST



H.PYLORI ANTIGEN TEST

Cat. No.	Product Description	Specimen	Format	Kit size	CE status
NLD8412-23P	Chagas Ab Test Cassette	S/P	Cassette	25T	CE
NLD8413-23P	Chikungunya Ab IgM Test Cassette	S/P	Cassette	25T	CE
NLD8414-23F	Cholera Ag O1 Rapid Test Cassette	Feces	Cassette	20T	CE
NLD8415-23F	Cholera Ag O139 Rapid Test Cassette	Feces	Cassette	20T	CE
NLD8416-23P	Filaria Ab IgM/IgG Test Cassette	S/P	Cassette	25T	CE
NLD8417-23P	Leishmania Ab IgM/IgG Test Cassette	S/P	Cassette	25T	CE
NLD8418-23P	Leptospira Ab IgM/IgG Test Cassette	S/P	Cassette	25T	CE
NLD8419-11F	Adenovirus Ag Test Strip	Feces	Strip	20T	CE
NLD8410-23F	Adenovirus Ag Test Cassette	Feces	Cassette	20T	CE
NLD8420-11F	Rotavirus Ag Test Strip	Feces	Strip	20T	CE
NLD8420-23F	Rotavirus Ag Test Cassette	Feces	Cassette	20T	CE
NLD8421-43F	Adenovirus/Rotavirus Ag Test Panel	Feces	Panel	20T	CE
NLD8422-23WM	MP Mycoplasma Pneumoniae Ab IgM Test Cassette	WB/S/P	Cassette	25T	CE
NLD8422-23WG	MP Mycoplasma Pneumoniae Ab IgG Test Cassette	WB/S/P	Cassette	25T	CE
NLD8423-23WM	CPn Chlamydia Pneumoniae Ab IgM Test Cassette	WB/S/P	Cassette	25T	CE
NLD8423-23WG	CPn Chlamydia Pneumoniae Ab IgG Test Cassette	WB/S/P	Cassette	25T	CE
NLD8424-23S	Strep A Ag Test Cassette	Swab	Cassette	20T	CE
NLD8425-23S	Influenza A+B Ag Test	Swab	Cassette	20T	CE

RAPID TESTS

>> DRUG OF ABUSE TESTS

Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
NLD857-11U	EDOP Ethylenediamine-dimethylphosphonic acid Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD857-23U	EDOP Ethylenediamine-dimethylphosphonic acid Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD858-11U	KET Ketamine Test Strip	Urine	Strip	50T	1000 ng/mL	CE
NLD858-23U	KET Ketamine Test Cassette	Urine	Cassette	25T	1000 ng/mL	CE
NLD859-11U	MDMA Ecstasy Test Strip	Urine	Strip	50T	500 ng/mL	CE
NLD859-23U	MDMA Ecstasy Test Cassette	Urine	Cassette	25T	500 ng/mL	CE
NLD8510-11U	MET Methamphetamine Test Strip	Urine	Strip	50T	1000 ng/mL	CE
NLD8510-23U	MET Methamphetamine Test Cassette	Urine	Cassette	25T	1000 ng/mL	CE
NLD8511-11U	MOP Morphine Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD8511-23U	MOP Morphine Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD8512-11U	MTD Methadone Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD8512-23U	MTD Methadone Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD8513-11U	OPI Opiates Test Strip	Urine	Strip	50T	2000 ng/mL	CE
NLD8513-23U	OPI Opiates Test Cassette	Urine	Cassette	25T	2000 ng/mL	CE
NLD8514-11U	OXY Oxycodone Test Strip	Urine	Strip	50T	100 ng/mL	CE
NLD8514-23U	OXY Oxycodone Test Cassette	Urine	Cassette	25T	100 ng/mL	CE
NLD8515-11U	PCP Phencyclidine Test Strip	Urine	Strip	50T	25 ng/mL	CE
NLD8515-23U	PCP Phencyclidine Test Cassette	Urine	Cassette	25T	25 ng/mL	CE
NLD8516-11U	PPX Propoxyphene Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD8516-23U	PPX Propoxyphene Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD8517-11U	K2 Synthetic Marijuana Test Strip	Urine	Strip	50T	50 ng/mL	CE
NLD8517-23U	K2 Synthetic Marijuana Test Cassette	Urine	Cassette	25T	50 ng/mL	CE
NLD8518-11U	TCA Tricyclic Antidepressants Test Strip	Urine	Strip	50T	1000 ng/mL	CE
NLD8518-23U	TCA Tricyclic Antidepressants Test Cassette	Urine	Cassette	25T	1000 ng/mL	CE
NLD8519-11U	THC Marijuana Test Strip	Urine	Strip	50T	50 ng/mL	CE
NLD8519-23U	THC Marijuana Test Cassette	Urine	Cassette	25T	50 ng/mL	CE
NLD8520-11U	TML Tamadol Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD8520-23U	TML Tamadol Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD8521-53U	Multi-Drug Test Panel (2-12 Para)	Urine	Panel	20T	-	CE
NLD8522-67U	Multi-Drug Test Cup (5-16 Para)	Urine	L-Cup	1T	-	CE
NLD8523-67U	Multi-Drug Test Cup (5-16 Para)	Urine	Key Cup	1T	-	CE

RAPID TESTS

>> DRUG OF ABUSE TESTS

For the qualitative determination of various drugs in human urine.



Cat. No.	Product Description	Specimen	Format	Kit size	Cut-Off	CE status
NLD851-11U	AMP Amphetamine Test Strip	Urine	Strip	50T	1000 ng/mL	CE
NLD851-23U	AMP Amphetamine Test Cassette	Urine	Cassette	25T	1000 ng/mL	CE
NLD852-11U	BAR Barbiturate Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD852-23U	BAR Barbiturate Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD853-11U	BUP Buprenorphine Test Strip	Urine	Strip	50T	10 ng/mL	CE
NLD853-23U	BUP Buprenorphine Test Cassette	Urine	Cassette	25T	10 ng/mL	CE
NLD854-11U	BZO Benzodiazepines Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD854-23U	BZO Benzodiazepines Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD855-11U	COC Cocaine Test Strip	Urine	Strip	50T	300 ng/mL	CE
NLD855-23U	COC Cocaine Test Cassette	Urine	Cassette	25T	300 ng/mL	CE
NLD856-11U	COT Cotinine Test Strip	Urine	Strip	50T	200 ng/mL	CE
NLD856-23U	COT Cotinine Test Cassette	Urine	Cassette	25T	200 ng/mL	CE

RAPID TESTS

>> TORCH PANEL

The first company around the world to obtain CE certificate for TORCH rapid test.

Multiplex POCT design

- 5 tests in 1 panel
- 1 test procedure for 10 parameter results
- detection and differentiation of both IgM and IgG in all 5 tests

UNIQUE FEATURES



Differentiate HSV-1 and HSV-2

Whole blood compatible

- Allows for testing in various settings, such as
 - emergency
 - physician office without centrifuge
 - remote area without skilled lab technicians and stable electricity

Cat. No.	Product Description	Specimen	Format	Kit size	Sensitivity	CE status
NLD881-23WM	TOXO Toxoplasma Ab IgM Test Cassette	WB/S/P	Cassette	25T	99.00%	CE
NLD881-23WG	TOXO Toxoplasma Ab IgG Test Cassette	WB/S/P	Cassette	25T	97.82%	CE
NLD881-23W	TOXO Toxoplasma Ab IgM/IgG Test Panel	WB/S/P	Panel	25T	-	CE
NLD882-23WM	RV Rubella Ab IgM Test Cassette	WB/S/P	Cassette	25T	98.56%	CE
NLD882-23WG	RV Rubella Ab IgG Test Cassette	WB/S/P	Cassette	25T	97.82%	CE
NLD882-23W	RV Rubella Ab IgM/IgG Test Panel	WB/S/P	Panel	25T	-	CE
NLD883-23WM	CMV Cytomegalovirus Ab IgM Test Cassette	WB/S/P	Cassette	25T	98.91%	CE
NLD883-23WG	CMV Cytomegalovirus Ab IgG Test Cassette	WB/S/P	Cassette	25T	98.55%	CE
NLD883-23W	CMV Cytomegalovirus Ab IgM/IgG Test Cassette	WB/S/P	Panel	25T	-	CE
NLD884-23WM	HSV-I Herpes Simplex Virus I Ab IgM Test Cassette	WB/S/P	Cassette	25T	99.10%	CE
NLD884-23WG	HSV-I Herpes Simplex Virus I Ab IgG Test Cassette	WB/S/P	Cassette	25T	98.75%	CE
NLD884-23W	HSV-I Herpes Simplex Virus I Ab IgM/IgG Test Cassette	WB/S/P	Panel	25T	-	CE
NLD885-23WM	HSV-II Herpes Simplex Virus II Ab IgM Test Cassette	WB/S/P	Cassette	25T	98.92%	CE
NLD885-23WG	HSV-II Herpes Simplex Virus II Ab IgG Test Cassette	WB/S/P	Cassette	25T	97.84%	CE
NLD885-23W	HSV-II Herpes Simplex Virus II Ab IgM/IgG Test Cassette	WB/S/P	Panel	25T	-	CE
NLD886-43WM	TORCH 5-in-1 Ab IgM Test Panel	WB/S/P	Panel	20T	-	CE
NLD886-43WG	TORCH 5-in-1 Ab IgG Test Panel	WB/S/P	Panel	20T	-	CE
NLD886-43W	TORCH 10-in-1 Ab IgM/IgG Test Panel	WB/S/P	Panel	20T	-	CE

Reagent Strips for Urinalysis

		
1G	2K	2P
Glucose	Glucose , Protein	Glucose, Ketone
		
3	4SG	5
Glucose, pH, Protein	Glucose, pH, SG, Protein	Protein, pH, Protein, Ketone, Blood
		
10	11	12
urobilinogen, bilirubin, ketone, blood, protein, nitrite, leukocytes, glucose, specific gravity, pH	leukocytes, nitrite, urobilinogen, protein, pH, blood, specific gravity, ascorbate (VC) ketone, bilirubin, glucose.	leukocytes, nitrite, urobilinogen, protein, pH, blood, specific gravity, ascorbate (VC) ketone, bilirubin, glucose, micro albumin.

NLD951	NLD952	NLD953	NLD954	NLD955	NLD956	NLD957	NLD958	NLD959
1G	2K	2P	3	4SG	5	10	11	12
Glucose	Glucose Protein	Glucose Ketone	Glucose PH Protein	Glucose PH SG Protein	Protein pH Protein Ketone Blood	Urobilinogen bilirubin ketone blood protein nitrite leukocytes glucose spedficgravity pH	leukocytes nitrite Urobilinogen protein pH blood spedficgravity ascorbate(VC) bilirubin ketone glucose	leukocytes nitrite Urobilinogen protein pH blood spedficgravity ascorbate(VC) ketone bilirubin glucose micro albumin

200BOXES/CARTON, CARTON SIZE : 50x50x26cm, G.W.: 14.5KG



NLD637A, Litmus Paper(Blue or Red)
B, PH Paper(0-14 or 1-14)



NLD638 Hemoglobin colorimeter



NLD655 BURETTE
NLD655-1 BURETTE WITH CLASS STOPCOCK
10ml, 25ml, 50ml, 100ml
NLD655-2 BURETTE WITH PEFE STOPCOCK
10ml, 25ml, 50ml, 100ml
NLD655-3 BURETTE WITH GLASS STOPCOCK-AMBER GLASS
10ml, 25ml, 50ml, 100ml
NLD655-4 BURETTE WITH PTFE STOPCOCK-AMBER GLASS
10ml, 25ml, 50ml, 100ml
NLD655-5 BURETTE WITH BLUE LINE AND GLASS STOPCOCK-SCHELLBACH TYPE
10ml, 25ml, 50ml, 100ml
NLD655-6 BURETTE WITH BLUE LINE AND PTFE STOPCOCK-SCHELLBACH TYPE
10ml, 25ml, 50ml, 100ml



NLD652-1 SEPARATORY FUNNEL
globe shape,with standard glass stopper and ptfе stopcock,
60ml,125ml,250ml,500ml,1000ml
NLD652-2 SEPARATORY FUNNEL
quib pear shape,with ground-in glass stopper and stopcock
10ml,20ml,60ml,125ml,250ml,500ml,1000ml,2000ml



NLD640 BEAKER,with spout,
with printed graduations for 50-5000 ml

Capacity ml	Height mm	O.D. mm	Quantity Per case
5	30	20	1152
10	35	25	1152
25	45	33	576
50	58	46	192
100	72	52	192
150	80	57	192
200	88	64	144
250	94	69	144
300	102	76	144
400	110	82	72
500	115	87	72
600	128	950	48
800	138	102	36
1000	150	110	24
2000	200	133	16
3000	250	160	8
5000	280	178	6



NLD641 BOILING FLASK flat bottom,
long narrow neck

Capacity ml	Height mm	O.D.of bulb mm	O.D.of neck mm	Quantity Per case
5	62	27	13	576
10	68	33	13	576
25	82	41	15	288
50	100	53	20	192
100	120	65	21	192
150	140	76	22	96
200	150	83	23	96
250	160	8	25	72
300	170	92	26	48
500	200	110	30	48
1000	250	140	35	24
2000	300	175	40	12
3000	370	199	50	8
5000	400	235	55	4



NLD642 BOILING FLASK round bottom, long neck

Capacity ml	Height mm	O.D.of bulb mm	O.D.of neck mm	Quantity Per case
5	62	27	13	576
10	68	33	13	576
25	82	41	15	288
50	100	53	20	192
100	120	63	21	192
150	145	76	22	96
200	155	83	23	96
250	165	88	25	72
300	180	92	26	48
500	210	110	30	48
1000	260	140	35	24
2000	305	175	46	12




NLD643 CONICAL FLASK narrow mouth

Capacity ml	Height mm	O.D.at base mm	O.D.of neck mm	Quantity Per case
5	50	25	14	1152
10	55	30	15	1152
25	70	40	16	576
50	90	52	20	192
100	105	60	22	192
150	120	69	25	144
200	130	76	26	144
250	144	83	30	72
300	155	89	32	48
500	195	100	35	36
1000	225	128	40	24
2000	285	170	53	16
3000	330	195	54	8
5000	380	235	65	6



NLD644 MEASURING CYLINDER with spout

Capacity mm	Height mm	O.D. mm	Graduated interval ml	Quantity Per case
10	150	13	0.2	288
25	170	20	0.5	288
50	195	25	1	96
100	250	30	2	72
250	320	40	5	48
500	360	54	5	24
1000	440	65	10	12
2000	500	90	20	6



NLD635 REAGENT BOTTLE

Code	Name	Specification	Material	Quantity	Carton Dimension
635-1	Reagent bottle	100ml	Borosilicate	80	55x50x35
635-2	Reagent bottle	250ml	Borosilicate	60	55x50x35
635-3	Reagent bottle	500ml	Borosilicate	40	55x50x35
635-4	Reagent bottle	1000ml	Borosilicate	20	60x50x35



NLD646 MORTAR WITH PESTLE, GLASS

Code	Name	Specification	Material	Quantity	Carton Dimension
646-1	Glass petri dish	Ø60	Glass	48	
646-2	Glass petri dish	Ø75	Glass	48	
646-3	Glass petri dish	Ø90	Glass	48	
646-4	Glass petri dish	Ø100	Glass	12	
646-5	Glass petri dish	Ø150	Glass	6	
646-6	Glass petri dish	Ø180	Glass	6	



NLD648 CLASS MEASURING PIPETTE

Size:0.1ml、0.2ml、0.5ml、1ml、2ml、5ml、10ml、15ml、20ml、25ml、50ml、100ml

Code	Name	Specification	Quantity	Carton Dimension
NLD648-1	Glass measuring pipette	0.1ml		
NLD648-2	Glass measuring pipette	0.2ml		
NLD648-3	Glass measuring pipette	0.5ml		
NLD648-4	Glass measuring pipette	1ml		
NLD648-5	Glass measuring pipette	2ml		
NLD648-6	Glass measuring pipette	5ml		
NLD648-7	Glass measuring pipette	10ml		
NLD648-8	Glass measuring pipette	15ml		
NLD648-9	Glass measuring pipette	20ml		
NLD648-10	Glass measuring pipette	25ml		
NLD648-11	Glass measuring pipette	50ml		
NLD648-12	Glass measuring pipette	100ml		



NLD645 GLASS PETRI DISH

Code	Name	Specification	Material	Quantity	Carton Dimension
645-1	Glass petri dish	Ø60	Glass	300	41x38x24
645-2	Glass petri dish	Ø75	Glass	120	45x34x24
645-3	Glass petri dish	Ø90	Glass	120	45x34x24
645-4	Glass petri dish	Ø100	Glass	120	53x73x25
645-7	Glass petri dish	Ø60	Borosilicate	300	41x38x24
645-8	Glass petri dish	Ø75	Borosilicate	120	45x34x24
645-9	Glass petri dish	Ø90	Borosilicate	120	45x34x24
645-10	Glass petri dish	Ø100	Borosilicate	120	53x73x25




NLD647 ALCOHOL LAMPS

With wick and plastic cap or glass cap
NLD647-1 150ML, Height: 118mm
NLD647-2 250ML, Height: 130mm




NLD636 Glass Serological Pipettes

Size:1ml 2ml 5ml 10ml 25ml 50ml



NLD649 Hemoglobin straw

A:with cap B:without cap



NLD569 GLASS TEST TUBE


Code	Name	Specification	Material	Quantity	Carton Dimension
569-1	Glass test tube	10x75	Glass	2000	45x33x19
569-2	Glass test tube	12x75	Glass	2000	45x33x19
569-3	Glass test tube	13x100	Glass	2000	45x33x19
569-4	Glass test tube	16x100	Glass	1000	44x32x24
569-5	Glass test tube	16x150	Glass	1000	47x31x34
569-6	Glass test tube	18x150	Glass	1000	47x31x34
569-7	Glass test tube	20x200	Glass	500	47x31x35
569-15	Glass test tube	10x75	Borosilicate	2000	45x33x19
569-16	Glass test tube	12x75	Borosilicate	2000	45x33x19
569-17	Glass test tube	13x100	Borosilicate	2000	45x33x19
569-18	Glass test tube	16x100	Borosilicate	1000	44x32x24
569-19	Glass test tube	16x150	Borosilicate	1000	47x31x34
569-20	Glass test tube	18x150	Borosilicate	1000	47x31x34
569-21	Glass test tube	20x200	Borosilicate	500	47x31x35



NLD650 GLASS TEST TUBE WITH BAKELITE SCREW CAP

A: internal thread B: external thread

Code	Name	Specification	Material	Quantity	Carton Dimension
650-1	Glass test tube	13x100	Glass	1000	
650-2	Glass test tube	16x100	Glass	1000	
650-3	Glass test tube	16x125	Glass	1000	
650-4	Glass test tube	16x150	Glass	1000	
650-5	Glass test tube	16x160	Glass	1000	
650-6	Glass test tube	18x160	Glass	1000	
650-7	Glass test tube	18x180	Glass	1000	
650-8	Glass test tube	20x125	Glass	1000	
650-9	Glass test tube	20x150	Glass	1000	
650-10	Glass test tube	20x200	Glass	1000	
650-11	Glass test tube	25x150	Glass	1000	
650-12	Glass test tube	25x200	Glass	1000	
650-13	Glass test tube	13x100	Borosilicate	1000	
650-14	Glass test tube	16x100	Borosilicate	1000	
650-15	Glass test tube	16x125	Borosilicate	1000	
650-16	Glass test tube	16x150	Borosilicate	1000	
650-17	Glass test tube	16x160	Borosilicate	1000	
650-18	Glass test tube	18x160	Borosilicate	1000	
650-19	Glass test tube	18x180	Borosilicate	1000	




NLD568 GLASS CENTRIFUGE TUBE, CONICAL BOTTOM

Code	Name	Specification	Material	Quantity	Carton Dimension
568-1	Glass centrifuge tube	5ml	Glass	1000	
568-2	Glass centrifuge tube	10ml	Glass	500	
568-3	Glass centrifuge tube	15ml	Glass	500	


NLD567 GLASS TEST TUBE WITH GLASS STOPPER

Code	Name	Specification	Material	Quantity	Carton Dimension
567-1	Glass test tube	5ml	Glass	1000	
567-2	Glass test tube	10ml	Glass	500	
567-3	Glass test tube	15ml	Glass	500	
567-4	Glass test tube	20ml	Glass	500	
567-5	Glass test tube	25ml	Glass	500	
567-6	Glass test tube	50ml	Glass	200	



NLD651 GLASS TEST TUBE WITH BAKELITE SCREW CAP AND SCALE

Size: 5ml 10ml 15ml 20ml 25ml 50ml



NLD 652 Glass test tube with aluminum cap

Autoclavable, flat bottom
dim. ϕ 28x85mm, 1.0-1.2mm thickness
Vol.25ml
Material: Borosilicate glass



TABLE TYPE CENTRIFUGE			
	80-1	80-2	90-1
MAX.SPEED	4000rpm	4000rpm	4000rpm
MAX.RCF.	1790xg	2325xg	2325xg
CAPACITY	6x20ml	12x20ml	8x20ml
TIMER RANGE	0-60min	0-60min	0-60min

TABLE TYPE CENTRIFUGE			
	TGL-16		
MAX.SPEED	16000rpm		
MAX.RCF.	17000xg		
CAPACITY	12x1.5ml	12x1.5ml	12x1.5ml
		6x5ml	12x0.5ml
TIMER RANGE	0-30min		

TABLE TYPE CENTRIFUGE		
	800	800D
MAX.SPEED	4000rpm	4000rpm
MAX.RCF.	1790X g	1790X g
CAPACITY	6x20ml	6x20ml
TIMER RANGE	---	0-60min
REGULATION	step	step



TABLE TYPE CENTRIFUGE	
	80-2B
VOLTAGE	110V~60Hz/220V~50HZ
SPEED	4000rpm
CAPACITY	12x20ml
MAX.RCF.	2325xg
TIME RANGE	0~30 with safe lock

TABLE TYPE CENTRIFUGE	
	80-2C
VOLTAGE	110V~60Hz/220V~50HZ
SPEED	4000rpm
CAPACITY	12x20ml
MAX.RCF.	2325xg
TIME RANGE	0~99 with safe lock

TABLE TYPE CENTRIFUGE	
	043R-2A
VOLTAGE	110V~60Hz/220V~50HZ
SPEED	4000rpm
CAPACITY	6x15ml; 6x10ml
MAX.RCF.	1795g
TIME RANGE	1~60 min timer with no time set option
POWER	80W

TABLE TYPE CENTRIFUGE	
	043R-2B
VOLTAGE	110V~60Hz/220V~50HZ
SPEED	1000~4000rpm
CAPACITY	6x15ml; 6x10ml
MAX.RCF.	1790g
TIME RANGE	1~60 min
POWER	80W



HIGH SPEED MICROHEMATOCRIT CENTRIFUGE	
	SH120
MAX.SPEED	12000r/min
MAX.RCF.	15300xg
POWER OUTPUT	100W
CAPACITY	24tubes, Φ1.5mmx75mm (24pcs capillary pipe)
TIME RANGE	0~30min



HIGH SPEED MICROHEMATOCRIT CENTRIFUGE	
	TDL-5A
MAX.SPEED	5000rpm
MAX.RCF.	4390xg
CAPACITY	horizontal 250mlx4 50mlx8 15mlx28 10mlx36
TIME RANGE	0~99min
REGULATION	stepless



XSZ-107BN

A:Super quality B:Good quality C:Standard quality
45mm DIN Achromatic Objective:4X,10X,40X(S),100X(S.Oil)
Wide Field Plane-Scope Eyepiece:WF10X,WF16X;
Total Magnification:40X-1600X;
Sliding Trinocular Head,Interpupillary Distance:55-75mm;
45° Include,360° Rotatable
Double Layers Mechanical Stage:140X155mm,
Moving Range X-Y:70X50mm
Φ2-Φ30mm Iris Diaphragm And Φ32 Filter:ABBE
Condenser:N.A.1.25
Coaxial Coarse And Fine Focusing Adjustable
Mechanism:25mm,Precision:0.002mm
Built-in Adjustable Brightness Halogen Lamp 6V/20W



SM-2010DM Digital Microscope

45mm DIN Achromatic Objective:4X,10X,40X(S),100X(S.Oil)
Wide Field Plane-Scope Eyepiece:WF10X,
Total Magnification:40X-1000X;Articulated Free Binocular Head,
Interpupillary Distance:55-75mm,30° Inclined,360° Rotatable;
Built-in Digital Camera System with a USB2.0 Cord and
Micro-image Process Software;
Nosepiece:Backward Quadruple Nosepiece;
Double layers Mechanical Stage:125x125mm,Moving Range
X-Y:60x40mm; Φ2-Φ30mm Iris Diaphragm And Φ32Filter;
ABBE Condenser:N.A.1.25;
Coaxial Coarse And Fine Focusing Adjustable Mechanism:14mm;
Built-in Adjustable Brightness Halogen Lamp 6V/20W



BM-100FL

Objective:195 mm DIN achromatic objective 4X,10X,40XS,100XS
Eyepiece:WF10X or WF16X
Viewing Head:Tube length 160mm,Sliding binocular head,
45° Inclined,360° Rotatable
Illuminator: Φ42mm Plug-in plano and concave mirror.Built-in
illumination system,
20W tungsten bulb.Halogen bulb,fluorescent lamp,LED lamp for option
Coarse and fine focusing mechanism,110mmx120mm plain stage
N.A.0.65condenser.Disc diaphragm with five-aperture.Spiral type
Abbe.N.A.1.25 condenser with iris diaphragm
Options:Attachable mechanical stage,polarizer device,TV adapter,
photo mount adapter,
mechanical movable stage



XSP-53

Achromatic Objective:4x,10x,40x(S)
Plane-Scope Eyepiece:WF10x;
Total Magnification:40X-400X
Monocular Head,45° Inclined,360° Rotatable
Φ90mm Rounded Stage With Paired Clips,360° Rotatable,
Six-stop Dial Diaphragm
Coarse Focusing Adjustable Mechanism:8mm
Built-in Incandescent Lamp 15W

Series Biological Microscope

Technical Specifications		Models	
		L101	XSP-13A
Total Magnification	40x~500x		
	40x~640x		
	25x~675x	●	
	50x~1250x		●
Eyepieces	10x12.5x		
	5x10x15x	●	
	10x16x		
	5x10x12.5x		●
Objectives	5x10x45x	●	
	4x10x40x		
	10x40x100x		●
Eyepiece Tube	Monocular Vertical Tube	●	●
illumination	Concave-Plam Reflector, Dia Φ50mm	●	●
Coarse Adjustment Range	50mm	●	●
Fine Adjustment Range	1.8mm~2.2mm	●	●
Working Stage	110mmx120mm		●
	Φ120mm	●	
Condenser	NA1.25abc Condenser With Changeable Diaphragm,Moving Scale And Filter		●
Optional	Electrical illumination(110V/20W,220V/20W Optional)		



XSP-13A




L101

>>> NLD-J-2/NLD-J-3 Colonometer

- Features:**
- Compact structure makes it less space occupation. Adapted for various environment.
 - The LED light can be adjusted to make an ideal perspective for the operator.
 - It will beeps while counting, which can avoid wrong counting.
 - Unique Up-light source makes it convenient to count bacteria that is hard to observe.
 - Specified designed counting pen to ensure no omit of the cells.
 - Wide-range voltage design. Avoid the interference to the equipment by instable voltage.

Technical Data:	NLD-J-2	NLD-J-3
Lighting:	Matrix LED(White light)	Matrix LED(White light)
Digital display:	3 digits	3 digits
Counting range:	0-999	0-999
Compatible petri dish:	50-90mm	50-150mm
Input voltage(frequency):	AC 100-240V (50/60Hz)	AC 100-240V (50/60Hz)
Input power:	20W	40W
Magnification:	3-9 Times	3-9 Times
Protective class:	IP21	IP21
Permissible relative moisture:	80%	80%
Permissible ambient temperature:	5-50°C	5-50°C
Dimensions:	255×210×160mm	360×300×180mm
Net. Weight:	2.2Kg	4.0Kg



Product-details:



>>> NLD-1520A URINE ANALYZER

Technical:	Parameter
Scope of Detection:	LEU,NIT,URO,PRO.PH,BLD,SG,KET, BIL,GLU,VC,CA,CRE,MCA, Ratio of MCA and CRE, total 15 Items
Test strip type:	8A,10A,11A,12A,13A,14A
Detection principle:	Baffled photometer measures the change of strip clour and calculate the density of according item,then output the result.
Detection wavelength:	525nm、565nm、620nm、660nm
Detection speed:	180 reports/hour
Report way:	liquid crystal display,serial port output, Internal 57nm thermal printing with English and Chinese, external Pin type printing with English and Chinese
Screen:	800x480 TFT-LCD Color touch screen
Input mode:	Color touch screen operation,the specimen bar code scanning input,the strip bar code scanning identification
Report memory:	Memory 5000 reports
External interface:	Standard RS-232 serial port and parallel port can connect external printer,bar code scanner and computer port
Working voltage:	AC 220/110V ±15% 50/60Hz (This can be customized by requirement)
Power consumption:	50VA
Size:	405x335x220mm
Weight:	5kg



Shaking Rotator

>>>NLDDSR-10 Digital Shaking Rotator

Features:

- With multiple types of fixing clips, it can carry out the mixing and shaking for vessels of different shape and size.
- Two operation methods for choice: circling and reciprocating.
- Compact structure. With BLDCM (Brushless DC Motor), the equipment can run smoothly with little noise for long time.
- LCD with backlight can display the current speed, time and operation mode, convenient for reading and setting.
- Precise digital time and speed setting can easily carry out the continuous operation mode.
- Safe operating protection function adopted.
- Maximum load reaches 7.5KG.
- Wide-range voltage design. Avoid the interference to the equipment by instable voltage.



Flatbed platform (Type A)



Securing bars platform (Type B)



Four clamp platform (Type C)

Optional components:



Flatbed platform, with silicon non-slip pad, adapted to softly mixing petri dish, culture flask, Test card, etc.



Securing bars platform, can clamp different kind of container by adjusting the position of bars.



Plain spring platform, used together with spring clamp.



Spring clamp model: 25ml/50ml/100ml/200ml/500ml.

Technical Data:

Operation method	Circling and Reciprocating
Shaker diameter	10mm
Maximum loading weight (incl. Fixing clips)	7.5kg
Equipment input power	35W
Motor output power	10W
Motor type	BLDC
Speed range	100-500rpm / 40-350rpm
Speed display	LCD
Timer display	LCD
Time setting range	1-19h59min
Operation mode	Timing/Continuous
Shaking table lock	Yes
Dimensions (W×H×D)	420×360×100mm
Weight	13kg
Permissible ambient temperature	5-50°C
Permissible relative moisture	80%
Protection class according to DIN EN 60529	IP21
Analog output	Yes
Voltage	AC 100-240V
Frequency	50/60Hz

(Accessories are not included, please order separately.)

>>> NLDDSR-22 Digital Orbital Shaker

Features:

- DSR-22 is the upgraded version of the traditional RPR, TRUST, VDR, screening and test orbital shaker for syphilis. It can be also widely used in mixing for various kinds of flat type labwares, such as: petri dish, culture plate, etc.
- Equipped with Brushless motor, it can run smoothly and quietly, thus guarantee a long service life.
- LCD with backlight can display the current speed, time and operation mode, convenient for reading and setting.
- Precise digital time and speed setting can easily carry out the continuous operation mode.
- Safe operation protection function adopted.
- Wide-range voltage design. Avoid the interference to the equipment by instable voltage.



Technical Data:

Operation method:	Circling
Circling diameter:	22mm
Max. Loading weight:	2kg
Speed range:	40-350rpm
Timing range:	1-19h59min
Running mode:	Timing / Continuous
Input voltage(frequency):	AC100-240V (50/60Hz)
Input power:	20W
Working plate size:	Common type: 315×315mm With cover: 255×255mm
Protective class:	IP21
Permissible ambient temperature:	5-50°C
Permissible relative moisture:	80%
Dimensions:	Common type: 420×360×125mm With cover: 420×360×145mm
Net. Weight:	Common type: 7.0kg With cover: 7.8kg

>>> NLDLC-I Centrifuge

Brief Introduction:

KJLC-I Centrifuge with brushless DC motor and microcomputer. It has LCD display, standard equipped rotor, time setting function and features like stepless speed change, etc. It's the ideal equipment applicable for clinic test, biochemistry, immunology, etc. which is mostly chosen by the institution like medical health, food, environment, scientific research, teaching and biochemical test, etc.

Features:

1. Outstanding performance:

- CPU precise controlling, high performance brushless DC motor, maintenance free.
- Highly accurate speed control.
- Timing begins after speed steady to guarantee a more precise centrifuge time.
- Two kinds of acceleration curves, three kinds of deceleration curves, free match and combinations between acceleration and deceleration, makes the specimen separation better.

2. Reliable safety:

- Full 304 stainless steel made rotor chamber guarantees much more safety for the rotor running.
- Closed centrifuge chamber can much reduce biological contamination risk.
- Aluminum material rotor ensures long service life.
- Four important safety functions: Lid interlock, monitor for lid open / close condition, over-speed protection, automatic internal diagnosis, which can highly protect operation staff and the centrifuge.





>>>NLD/XH-B Vortex Mixer

Features:

- Wide application range: Can be used for mixing samples in Test tubes, Centrifuge tubes, flasks etc.
- High performance & low noise AC motor to make rapid and thorough mixing.
- Specified designed operation panel, Easy to clean and wear-resisting.
- Shaking speed can be adjusted automatically based on the pressure degree.



>>>NLD/XH-C Vortex Mixer

Features:

- Adapted to the mixing of finger tip blood sample, It can mix the sample thoroughly without damaging the blood cells, it also can fit different type of centrifuge tubes.
- High performance & low noise AC motor to make rapid and thorough mixing.
- Continuous and Inching model available, Easy to operate.
- Reasonable design, compact structure and stable performance.



>>>NLD/XH-D Vortex Mixer

Features:

- Adapted to re-suspension particles, extract drugs and vortex cell suspensions. Mixing tissue samples, And also can be used to ELISA reaction and RIA Tests.
- Multiple plates available, can be used for various kinds of test tubes and small containers.
- High performance & low noise AC motor to make rapid and thorough mixing.
- Continuous and Inching model available, Easy to operate, Knob design makes it easy carry out stepless speed regulating.
- Reasonable design, compact structure and stable performance.

Available plates:



Multi-well plates, Adapted for 1.5ml and 2ml Micro centrifuge tubes.



Silicon anti-slip plate, for test tubes or containers with bottom less than 99mm diameter.



Standard Silicon plate: For test tubes or containers with bottom less than 30mm diameter.



Standard plastic rack: For 10-50ml conical end centrifuge tubes and various kinds of test tubes.

Technical Data:

	NLD/XH-B	NLD/XH-C	NLD/XH-D
Operation method:	Circling	Circling	Circling
Circling diameter:	3.6mm	3mm / 4mm	4.4mm
Rating speed:	2600rpm	2800rpm	1000-2800rpm
Running mode:	Constant	Constant, Inching	Constant, Inching
Working plate size:	Ø100mm	Ø55mm	—
Input voltage(frequency):	AC 220V±10% (50/60Hz)	AC 220V±10% (50/60Hz)	AC 220V±10% (50/60Hz)
Permissible relative moisture:	80%	80%	80%
Output power:	12W	30W	30W
Protective class:	IP21	IP21	IP21
Permissible ambient temperature:	5-50°C	5-50°C	5-50°C
Dimensions:	100×130×135mm	Ø110×150mm	180×120×180mm
Net. Weight:	2.3Kg	2.5Kg	4.5Kg

>>> NLDAUC-5A Automatic Uncap Centrifuge

Features:

- This product is designed for the hospital, blood bank, nuclear medicine and other units of professional design, a complete set of automatic centrifugal hat. Completely solve the problems in the hospital collected blood hat vacuum separation, is one of the most original, the most advanced, highest efficiency separation equipment.
- Unique double-layer design for the adapter will apply to blood collection tubes of Ø13×75mm, Ø13×95mm, Ø13×100mm. Uncap success rate will reach up to 100%.
- Controlled by microprocessor and equipped with AC frequency conversion motor, the centrifuge has following characters as high speed accuracy, little vibration and low noise.
- Programming operation available. Automatic speed and RCF conversion.
- Equipped with electronic lock and autobalance protection system which will guarantee personal and machine safety.
- It's the most advanced and efficient separation machine nowadays, specially for vacuum blood collection tubes.

Technical Data:

Max Speed:	5000 rpm
Max RCF:	4390×g
Standard Swing-out Rotor:	①7ml×72
Optional Swing-out Rotor:	①100ml×4 ②50ml×4 ③50ml×8, 15ml×32, 7ml×48, ④Rotor for 96 well Elisa plate ⑤Angle rotor for 6×50ml tubes
Timer Range:	0-99 min
Speed Accuracy:	±1%
Noise:	≤65 dB(A)
Dimension:	460×550×340 mm
Weight:	32 kg



NLD-202 OSCILLATOR (POWDER MIXER)

It is of compact design and no noise, 19 different kinds of bottles can be put in at one time and easy for operation, which can be use for mixing of the medicine powders that is not mixed by normal ways for avoiding the waste of the medicine. It's a good hand for the medical persons in hospitals. Packing Quantity: 4sets/package Packing Measurement: 49x34x56



NLD/DSR-10 DIGITAL ROTATOR SHAKER

1. With different types of fixing clips, it can carry out the mixing and shaking for vessels of different shape and size.
2. Two operation methods for choice: circling and reciprocating (Inverse direction also can be customized).
3. Compact structure. With BLDCM (Brushless DC Motor), the equipment can run smoothly with little noise for long period.
4. LCD with backlight can display the current speed, time and operation mode, convenient for reading and setting.
5. Precise digital time and speed setting can easily carry out the continuous operation mode.
6. Safe operating protection function adopted.
7. PC connection through RS232 interface. Particular software PClab can easily realize equipment controlling and recording on PC.
8. Maximum load reaches 7.5KG.
9. Accessories are not included, please order separately.

>>> NLD/MR-IV Rotator Mixer

- Features:
- 360 degree mild rotation mixing can keeps sample in suspension. Adapted to mixing of Blood,urinary samples etc.
 - Driven by High performance DC declaration Motor,Running stable,No noise,Long lifetime. Compact and reasonable structure makes it running stable. Adapted to various environment.
 - Four types elastic clip could be randomly combined for use. Adapted to 1.5ml, 15ml, 50ml Centrifuge tubes and test tubes withΦ8, Φ9, Φ12, Φ13, Φ16mm diameter.



>>> NLD/MR-IVA Rotator Mixer

- Features:
- 360 degree mild rotation mixing can keeps sample in suspension. Adapted to mixing of Blood,urinary samples etc.
 - Driven by High performance DC declaration Motor,Running stable,No noise,Long lifetime. Compact and reasonable structure makes it running stable. Adapted to various environment.
 - LED with backlight can display the current speed,time and operation mode,convenient for Readingand setting.
 - Precise digital time and speed setting can easily carry out the continuous operation mode.
 - Wide-range voltage design. Avoid the interference to the equipment by instable voltage.
 - Four types elastic clip could be randomly combined. Adapted to 1.5ml, 15ml, 50ml Centrifuge tubes and test tubes withΦ8, Φ9, Φ12, Φ13, Φ16mm diameter.

Technical Data:	NLD/MR-IV	NLD/MR-IVA
Operation method:	360°reverse rotation	360°reverse rotation
Tilt angle of the plate:	38°	38°
Speed range:	6-32rpm	5-35rpm
Timing range:	—	0-999min
Clip Qty:	Large size 12pcs Medium size 24pcs Small size 24pcs	Large size 12pcs Medium size 24pcs Small size 24pcs
Running mode:	Continuous	Timing/Continuous
Plate diameter:	Φ 300mm	Φ 300mm
Input voltage(frequency):	AC 100-240V (50/60Hz)	AC 100-240V (50/60Hz)
Input power:	10W	10W
Protective class:	IP31	IP31
Permissible ambient temperature:	5-50℃	5-50℃
Permissible relative moisture:	80%	80%
Dimensions:	310x300x420mm	310x300x420mm
Net. weight:	4.3Kg	4.0Kg



NLD-201BX Orbital Shaker
Designed for sieving and testing of syphilis RPR, TRUST VDRL, and can Be used for mixing of various kinds of petri dish, elisa plated etc. High performance DC motor, Quiet, Stable and long lifetime. Digital time and speed set makes the control more accurate. Fixed transparent cover type or Non-cover type available. LED screen for time and speed display, easy for reading and operation. Wide-range voltage design. Avoid the interference to the equipment by Instable voltage.



NLD-201BS/NLD-201BD Orbital Shaker
Designed for sieving and testing of syphilis RPR, TRUST VDRL. High quality DC motor, actual life > 1000h. Tight and reasonable structure makes it run stably. Adapted to various Environment. Adjustable knob design, easy to make it stepless speed adjustable and Running at any time within 15min/60min.



NLD-201BYA Diagital Rocking Mixer
It can carry out an action of waving swing up and down of 7 degree(Also can be customized), which can make the liquid in the container move mild like the wave. Specified anti-slip pad together with tightening belt is adapted to multiple culture flasks and petri dishes. Driven by High performance DC Motor, Running stable, No noise, Long lifetime. LCD with backlight can display the current speed, time and operation mode, convenient for readingand setting. Precise digital time and speed setting can easily carry out the continuous operation mode. Wide-range voltage design. Avoid the interference to the equipment by instable voltage.



NLD-201BY Rocking Mixer
It can carry out an action of waving swing up and down of 25 degree, which can make the liquid in the container to move mild like the wave. Driven by High performance AC Motor, Running stable, No noise, Long lifetime. Tight and reasonable structure makes it running stable, adapted to various environment. Specified scalar pad is adapted to mixing of multiple types of test tubes, centrifuge tubes and tubelar containers.



NLD/MR-II Blood Roller Mixer
It can carry out two functions(Roll and Swing), adapted to mixing of blood samples, adhesive materials and Liquid-solid suspensions. Driven by High performance DC declaration Motor, Running stable, No noise, Long lifetime. 7 rolls, compact structure makes it less makes it fit for different size tubes. According to actual requirements, we can supply corotation-reverse Cross model, The roller can be lengthened within a certain range to Fit for more tubes.



NLD/MR-IIA Roller Mixer
It can carry out two functions(Roll and Swing), adapted to mixing of blood samples, adhesive materials and Liquid-solid suspensions. Driven by High performance DC declaration Motor, Running stable, No noise, Long lifetime. 7 rolls, compact structure makes it less space occupation. adapted for obvious environment. LED with backlight can display the current speed, time and operation mode, convenient for readingand setting. Precise digital time and speed setting can easily carry out the continuous operation mode. Wide-range voltage design. Avoid the interference to the equipment by instable voltage. Reasonable space between the rolls makes it fit for different size tubes. According to actual requirements, we can supply corotation-reverse cross model, The roller can be lengthened within a certain range to fit for more tubes.



NLD-201A Microplate Shaker (minim-shaker)
Elastic silicon plate, easy to clean and wear-resisting, it can fit various kinds of cell culture plates. High performance & low noise AC motor to make rapid and thorough mixing. Adjustable knob design can ensure stepless adjustment, and constant run within 60min.



NLD-201B Microplate Shaker
Open-type plate, easy to clean on the surface, 4pcs of cell culture plates can be mixed one time. High performance&low noise AC motor to make rapid and thorough mixing. Adjustable knob design can ensure stepless speed adjustment, and constant run within 60min.



NLD-201C Microplate Shaker
Elastic silicon plate, easy to clean and wear-resisting, it can fit various kinds of cell plates. 6pcs of cell culture plates can be mixed at one time. High performance & low noise AC motor to make rapid and thorough mixing. Adjustable knob design can ensure stepless speed adjustment, and constant run within 60min.

Technical Data:	NLD-201A	NLD-201B	NLD-201C
Operation method:	Circling	Circling	Circling
Circling diameter:	8.5mm	3.2mm	9.0mm
Max.Loading:	1pcs microplate	2/4 pcs microplate	1-6 pcs microplate
Rating speed:	800-2600rpm	600-2200rpm	200-2800rpm
Timing range:	0-60min	0-60min	0-15min
Running mode:	Timing/Continuous	Timing/Continuous	Timing/Continuous
Input voltage(frequency):	AC 220±10% (50/60Hz)	AC 220±10% (50/60Hz)	AC 220±10% (50/60Hz)
Output power:	20W	10W	10W
Protective class:	IP21	IP21	IP21
Permissible ambient temperature:	5-50℃	5-50℃	5-50℃
Permissible relative moisture:	80%	80%	80%
Dimensions:	185x185x135mm	240x250x135mm	310x280x225mm
Net. weight:	1.5Kg	3.8Kg	6.2Kg



NLD/MR-V BLOOD MIXER (3D ROTATION)

The mixer can do 3D rotation with steady speed. It is the ideal apparatus which is suitable for blood sampling or centrifuge tubes and some big-sized containers or friable DNA fragment. The mixing effect will be thoroughly. Besides, It applies to many specifications of test tubes, PCR microplate, petri dishes and cell culture plate/cuvette, etc. It could be also working when put in incubator or refrigerating chambers.



NLD/JSQA HEMOCYTOMETER

The instrument is a decimal scale hemocytometer of 10 groups of 2 digital. It shows ten groups of numbers and totals with the quality of reliability and compact design. Especially applicable to the middle size and small size hospitals. Packing Quantity:12 sets/package Packing Measurement: 74x35x46




NLD/DSZ-I QUARTZ CLOCK

It is used for timing with low malfunctions and high accuracy, which can give the any one-minute forecast in one hour to the operator, and suitable for the accurate timing labs. Packing Quantity:10 sets/package Packing Measurement: 93x28x53.5



NLD/J-2 COLONOMETR

It can be clearly show the colony compares and ensure the accuracy of the testing because of it's compact design. Packing Quantity:4 sets/package Packing Measurement: 61x34.5x41.5



NLD/WJX-1 HEMOGLOBINOMETER

The product is assembled with the microcomputer with the characters of intelligence, inletting adjustable, easy for operation and accurate testing as well as the function stability. It is an ideal successor to the simple old hemoglobinometers. Packing Quantity:4sets/package Packing Measurement: 61x33x38



NLD-2012T MULTI-PURPOSE OSCILLATOR

It's a machine due to couple for silicone tube rack, 50 pcs tube of diameter lower 16mm can be put in at one time and easy for operation , the machine may adjust speed freely, it will reach a good use result. Packing Quantity:4sets/package Packing Measurement: 61x33x38



GRX SERIES: HOT AIR STERILIZING CABINET


MICROCOMPUTER CONTROL

Specification:

- *Accuracy: High-precision micro-computerized digital temperature cnpntrolled
- *Speediness: Speedy temperature rise
- *Safety: Two sets of completely independent temperature-controlling systems which have two stage safeguard each.
- *Convenience: Damper regulation, timing control, moving of shelves.

Model	9023A	9053A	9073A	9123A	9203A
Electrial Data	220V 50Hz				
Range of Temperature Control	RT +10 - 250℃				
Temperature Precision	±1℃				
Input Power	600W	900W	1200W	1600W	2100W
Working Size	300x 300 x 275	415x370x345	400x 450 x450	554x370 x 524	600x 550 x600
Overall dimension	620x490x490	720x610x520	740x580x630	840x570x730	880x750x800
Location Range	1-9999min				

Remarks: interior stainless mirror plate is marked with "A"



DHG SERIES: DRY BOX

MICROCOMPUTER CONTROL

Specification:

- *Internal stainless mirror plane and four half-arc squares
- *The Microcomputer temperature controller
- *Design of forced warm wind circulation
- *Silicon rubber sealing bars and double-layer glass-door

Model	9030A	9070A	9140A	9240A	9420A
Electrial Data	220V 50Hz				380V 50Hz
Range of Temperature Control	RT+10-250℃				
Temperature Precision	±1%				
Input Power	600W	1150W	1600W	2100W	3100W
Working Size	350x 300 x 300	450x 400 x 450	550x 450 x 550	600x500x750	600x550x1300
Overall dimension	620x490x490	740x580x630	840x670x730	880x720x930	780x750x1880
Location Range	1-9999min				

Remarks: interior stainless mirror plate is marked with "A"



PH SERIES: DRY BOX/INCUBATOR (DURAL-PURPOSE)

MICROCOMPUTER CONTROL

Specification:

- *Internal stainless mirror plane and four half-arc squares
- *The Microcomputer temperature controller
- *Design of forced warm wind circulation
- *Silicon rubber sealing bars and double-layer glass-door

Model	030A 030	050A 050	070A 070	140A 140	240A 240
Electrial Data	220V 50Hz				
Range of Temperature Control	A) Incubator: RT+5-80℃ B) Dry Box: 80-220℃				
Temperature Precision	A)± 0.5℃ b). ±1%				
Input Power	600W	900W	1150W	1600W	2100W
Working Size	350x 300 x 300	400x350x400	450x 400 x 450	550x 450 x 550	600x 550 x 500
Overall dimension	620x490x490	720x610x520	740x580x630	840x570x730	800x750x800
Location Range	1-9999min				

Remarks: interior stainless mirror plate is marked with "A"
interior galvanized plate is not marked with "A"



Model	Products Name	Voltage	Temp Range	Temp Motion	Ambient Temp	Heating Power(W)	Inter chamber size(mm)	Exterior size(mm)	Package size(mm)	GW (KG)	Timing
NLD WP-25A	Desk Type Constant-Temperature	220-240V/ 50HZ-60HZ or	RT +5-65	0.5 Degrees	5-40	180	260x260x260	410x410x620	540x500x670	27/40	0-9999m
NLD WP-25AB											
NLD WHL-25A	Desktop Constant-Temperature	220-240V/ 50HZ-60HZ or	RT +10-300	1 Degrees	5-40	160	260x260x260	410x410x620	540x500x670	27/40	0-9999m
NLD WHL-25AB											



NLD680 Laminar Flow Cabinet
Interior Dimensions: 148*79*165CM
Accessories: Base support stand,
Microscope viewing window,
service valves for gas, air or vacuum,
HEPA filters 99.99% at 0.3 microns,
Bag in /Bag-out of exhaust HEPA



NLD681 Magnetic Stirrer



NLD/du-20 CONSTANT TEMPERATURE OIL BATH BOX
Stainless steel inner vessel, cover can be removed,
High precision temperature controlled,
Digital display, microcomputer controlled
Voltage: 220V 50Hz
Wattage Consumption: 800W
Range of Temperature Control: RT+20-200℃
Temperature Fluctuation: ±0.5-±1℃
Follow-up Alarming: ±2℃
Volume: 12L
Working Size (mm): 250x250x200



Code No	Products Name	Model	Temp Range	Temp Motion	Interior	Heating Power(W)	Working size(mm)	Package size(mm)	GW (KG)
NLD685	Water Bath	S1	RT+5℃~95℃	≤±1℃	Stainless steel	300	160x160x120	28x28x28	3.5/4
		S2				500	300x160x120	41x26x26	4.5/5.5
		S4				1000	300x300x120	43x41x28	5.5/6.5
		S6				1500	460x300x120	63x43x26	7.5/8.5
		S8				2000	600x300x120	75x44x28	



NLD682 Biosafety cabinet with auto voltage regulator

Cleaning level :
HEPA:ISO 5Level(100Level)
ULPA:ISO 4Level(100Level)
Air supply air volume:650
Exhaust air volume:1100
Descend wind speed≥0.35m/s
Wind speed in≥0.55m/s
Noise≤58dB(A)
Half ventilation peak value≤3μm
Biological safety: Personnel protection:
impact type sampler: CFU≤10;
narrow slot type sampler: CFU≤5
Product protection:
all sampling vessels: CFU≤5

Code No	Products name	Electrical Power	Hydraulic discharge (Lit/Hour)	Power(KW)
NLD970-5	Stainless steel water Distiller	220V/50HZ	5	4.5
NLD970-10		380V/50HZ	10	7.5
NLD970-20		380V/50HZ	20	15
NLD970AC-5		220V/50HZ	5	4.5
NLD970AC-10		380V/50HZ	10	7.5
NLD970AC-20		380V/50HZ	20	15

CETIFICATE

